

# The Gains from Reshaping Infrastructure: Evidence from the Division of Germany\*

Marta Santamaria  
Universitat Pompeu Fabra

*Job Market Paper*<sup>†</sup>

May 20th, 2018

[Please find the latest version HERE](#)

## Abstract

This paper quantifies the gains from infrastructure investments and shows that reshaping the highway network after a large economic shock, the Division of Germany, had positive welfare and income effects. To address the endogeneity between infrastructure and economic outcomes, I develop a multi-region quantitative trade model where infrastructure is chosen by the government to maximise welfare. I calibrate the model to the prewar German economy and estimate the key structural parameter of the model using the prewar Highway Plan. I exploit the Division of Germany, a large-scale exogenous shock to economic fundamentals, to show that the model can predict changes in highway construction after the Division. Using newly collected data, I document that half of the new highway investments deviated from the prewar Highway Plan. I find that the reallocation of these investments (one-third of the network) increased real income by 0.6% to 2% each year, compared to the construction of the original prewar Plan. Finally, I find a large cost of path-dependence: the ability to reshape the full network after the Division could have increased real income by an additional 1.5%.

---

\*I am indebted to my advisor Jaume Ventura for his continued encouragement and guidance. Special thanks to Manuel Garcia-Santana, Joan Monras, David Nagy, Giacomo Ponzetto, Veronica Rappoport and Edouard Schaal; their suggestions and support greatly improved this paper. I hugely benefited from conversations with Isaac Baley, Alessandra Bonfiglioli, David Levine, Ana Moreno, Claudia Robles-Garcia, Thomas Sampson, Daniel Sturm, Catherine Thomas, Jagdish Tripathy and Elisabet Viladecans-Marsal. I thank seminar participants at Universitat Pompeu Fabra, the International Economics workshop at LSE, the IEB Urban Economics workshop 2018 and the 2018 EDP at EUI for many useful comments. Financial support from the Generalitat de Catalunya and Caixa Bank is gratefully acknowledged. All errors are my own. Contact email: [marta.santamaria@upf.edu](mailto:marta.santamaria@upf.edu).

<sup>†</sup>An earlier version circulated as "Infrastructure Investment and Economic shocks: Evidence from the German Division".

# 1 INTRODUCTION

In 1939, a 500 kilometre-long highway connecting Cologne, in the west of Germany, with Berlin, in the east, was about to be completed. It was part of a highway plan designed by the Nazi Government to endow Germany with a modern highway network (Voigtländer and Voth, 2015).<sup>1</sup> No one at that time would have predicted that a border would divide West Germany from East Germany only ten years later.

Figure 1 shows the outline of the 1934 highway plan of four thousand kilometres (Panel A) and the layout of the 1974 highway network, of five thousand kilometres (Panel B). By the time of the Division, in 1949, two thousand kilometres had already been built. Did the West German government reshape the highway network after the Division or complete the prewar Highway Plan? I use newly digitised data of the West German highway network to document that there was considerable reshaping after the Division: half of the highway investments made between 1950 and 1974 deviated from the original prewar Highway Plan.<sup>2</sup> Specifically, the government did not build highways that were planned to pass across the new border. On the contrary, new highways appeared in the West and close to the border with France.

In this paper I quantify the gains from reshaping the highway network after a large-scale exogenous shock to economic fundamentals: the Division of Germany in 1949. Despite the importance of infrastructure for the movement of goods and people, quantifying the gains from these investments is challenging because infrastructure and economic outcomes affect one another (Redding and Turner, 2015). For example, a government may allocate infrastructure to already fast-growing regions, creating a positive relationship between infrastructure and economic outcomes.<sup>3</sup> Quantitative models or empirical estimations not taking into account the endogeneity of infrastructure will accomplish biased calibrations and estimates.

To address the endogeneity between infrastructure and economic outcomes, I develop a quantitative spatial trade model with endogenous infrastructure investments. In the model, trade happens across many regions that are linked through the transport network. Each region has an exogenous productivity level and produces a set of tradable varieties as in Krugman (1980). Infrastructure

---


<sup>1</sup>In The 1920s German politicians discussed the construction of a modern highway system. When Hitler appointed Fritz Todt to design the highway system, he traced a plan heavily inspired by the previous plans designed in the 1920s. (Zeller and Dunlap, 2010)

<sup>2</sup>I digitise the German highway network in several years before, during and after the Division using historical maps.

<sup>3</sup>Additional challenges, in addition to the endogeneity of infrastructure and economic outcomes, (Fogel, 1962) are the need for a general equilibrium set-up to account for spill-overs (Redding and Turner, 2015) or the complication of choosing an adequate counterfactual.

improvements along a group of regions reduce the shipping costs between these regions, facilitating consumption of non-local varieties. Transport costs are determined by the least-cost path problem of shipping across regions. The equilibrium is driven by workers that choose where to live and how much to consume to maximise utility similar to Redding (2016). This framework builds on the quantitative spatial models reviewed by Redding and Rossi-Hansberg (2017). The novel feature of my framework is a government that, given the decentralised choices of workers and firms, decides how to invest in infrastructure to maximise aggregate welfare.

Figure 1: The Division of Germany in 1949 and the Highway network



**Notes:** The figure displays the countries of West Germany (in white) and East Germany (in grey). Panel A shows the 1934 highway plan. Panel B shows the highways built by 1974. Source: Created by the author from newly digitised historical data.

The model nests a spatial equilibrium into the government’s maximisation problem and can be solved backwards. First, given the initial transport network, the matrix of bilateral transport costs is determined by applying the least-cost path algorithm to all region-pairs. With the bilateral transport costs and the initial parameter values, the spatial equilibrium is given by the vector of wages, labour allocations, prices and rents for which the equilibrium conditions hold. The spatial equilibrium determines the expected utility of the economy that is used as a proxy for aggregate welfare (Redding and Rossi-Hansberg, 2017). Then, the government chooses the infrastructure investment allocation that maximises aggregate welfare, given the decentralised spatial equilibrium

conditions.

In the solution of the model, optimal infrastructure in a region depends positively on two factors. First, how *large* is a region in terms of trade flows. Second, how *central* is a region in terms of trade transit.<sup>4</sup> The initial highway plan of 1934, in Panel A of Figure 1, can serve as an example. Cologne and Berlin are remote cities, located at the edge of the German territory. However, they are included in the highway network because they are large, and thus, they trade intensely with the rest of German districts. Contrary to Berlin or Cologne, Nuremberg, in the south-east, is not a large city but is central: it is located between Munich and Berlin. Because of its centrality, it is also included in the network. These predictions suggest that when the volume of trade or transit in a region changes permanently, as happened after the Division of Germany, the government would like to reshape infrastructure investments.

I follow a two-step strategy to quantify the model. First, I calibrate the parameters relevant for the spatial equilibrium, keeping the infrastructure network constant. Specifically, I take the model to data on Germany's population and road network in 1938, eleven years before the German Division. I employ the 1938 population distribution to calibrate the district-specific productivity parameters and the road network to calculate the initial shipping costs. I then assess the fit of the model by comparing the model's trade predictions with domestic good shipments in 1938. Second, given the parameters calibrated in the first step, I estimate the key structural parameter of the model: the returns to highway investments. This parameter determines whether highway investments have decreasing returns and, therefore, shapes the concentration of highway investments in each district. Using the Simulated Method of Moments I estimate this parameter to minimise the difference in the concentration of highway investments between the model with endogenous infrastructure and the 1934 Highway Plan.

Given the quantification of the model I assess its ability to predict infrastructure investments. First, I test the fit of the model with the cross-section of highway investments allocated in the 1934 prewar Plan. To do so, I solve for the *optimal infrastructure* network for Germany before the Division. Comparing the optimal infrastructure allocation with the 1934 Highway Plan, Panel A in Figure 1, confirms that the model accounts for the main patterns in the Plan. Besides, the districts where the model predicts the highest value of highway investments coincide with the districts where the first highways were built before Division.

Second, I exploit the Division of Germany to test the ability of the model to predict new

---

<sup>4</sup>The key driver of these results is that the marginal benefit of investing in infrastructure is higher in large and central regions.

highway investments. The Division of Germany provides a unique empirical set-up because it was a large-scale unexpected shock to economic fundamentals: the new border re-defined the country's boundaries and stopped all trade and worker flows between East Germany and West Germany (Redding and Sturm, 2008). To predict the endogenous response of infrastructure to the Division shock, I assume that trade costs between East Germany and West Germany become prohibitive and re-compute the optimal infrastructure allocation for West Germany. This solution takes as fixed the investments made until 1950.

Using data on the construction of highways between 1950 and 1974, I test whether the model can predict new highway investments.<sup>5</sup> Focusing on the additional highway construction between 1950 and 1974 allows me to control for time-invariant specific characteristics that affect both the prewar fundamentals used in the calibration and the amount of infrastructure investments. Examples of such factors are geographical advantages such as being a port city. My estimation shows that the model has good predictive power in explaining the district-level increase in highway construction between 1974 and 1950: the predicted changes account for 19% of the variation in new highway construction. My estimates suggest that a predicted increase of one kilometre in the model explains an increase of 0.32 kilometres in the data (statistically significant at 1 % confidence level). According to these results the reshaping of highways by the West German government can be explained, to a large extent, by a quantitative model of endogenous infrastructure.

The main threat to identify the explanatory power of the model would be changes in other factors, in addition to geography, happening after the Division of Germany and affecting the returns to highway construction unevenly across the West German geography. One of such factors is the process of European integration during which tariffs to international trade were eliminated between Belgium, Italy, Luxembourg, Netherlands and West Germany.<sup>6</sup> To account for this, I extend the model to allow for international trade with other West European countries and solve for the optimal highway construction with both domestic and international trade. The extended model still has good predictive but it predicts a smaller share of the variation in the data than the model without international trade.<sup>7</sup>

Finally, I document to what extent the additional three thousand kilometres built between 1950

---

<sup>5</sup>I use investments until 1974 because by then the network was as large as the prewar Highway Plan. In 1974, 5000 kilometres had been built while the Plan had a length of 4300 kilometres. Due to limitations in the availability of historical highway maps I use 1974 as the best possible approximation to the length of the Plan.

<sup>6</sup>This process started with creation of the European Economic Community in 1957 with the Treaty of Rome.

<sup>7</sup>One explanation for why the model with international trade seems to be further away from the data could be that in the first years of the European integration process international trade was not so large in magnitude. For example, in 1982, around 85% of all tonnes-kilometres shipped in West Germany by road were domestic shipments while only 15% were cross-border (international) shipments.

and 1974 deviated from the prewar Highway Plan. I find that half of the new highways deviated from the prewar Highway Plan. This considerable reshaping of the highway network suggests that the Government reacted to the change in geography caused by the Division, as predicted by the model.

I use the model to quantify the gains from reshaping the highway network. First, I find that the reshaping of one third of the network by the government increased real income by 0.64% (compared to the construction of the prewar Highway Plan) in the model with domestic trade and by 2% in the model with international trade. These gains, that increased the level of real income permanently, are obtained only from reshaping the infrastructure, without changing the budget of the government. My results indicate that upgrading infrastructure following the new economic fundamentals, rather than the prewar fundamentals, had very large income effects. Finally, this set-up allows me to quantify the cost of path-dependence. Because highway construction started in the 1930s, the initial investments did not anticipate the Division shock. I find that the ability to reshape the initial highway investments would have increased real income by 1.5% compared to the optimal network constrained by the prewar highway construction.

**Relation with the Literature** Transport infrastructure projects represent a substantial fraction in the budget of governments and international institutions.<sup>8</sup> The increasing availability of spatially disaggregated data has rekindled the interest of policy-makers and academics on how to better allocate resources to infrastructure upgrading. It is not surprising that a very recent strand of the literature has focused on studying the endogenous choice of transport infrastructure. There have been two approaches so far: (1) to model endogenous infrastructure arising from decentralised decisions like [Allen and Arkolakis \(2017\)](#) and (2) to model endogenous infrastructure as arising from the decision of a government or planner such as [Felbermayr and Tarasov \(2015\)](#), [Fajgelbaum and Schaal \(2017\)](#) and [Gallen and Winston \(2018\)](#).<sup>9</sup> While [Gallen and Winston \(2018\)](#) investigate the choice of infrastructure in a general equilibrium model where infrastructure is a capital investment good that benefits all firms, in my framework the government chooses infrastructure investments in a spatial set-up and is, therefore, closest to [Felbermayr and Tarasov \(2015\)](#) and [Fajgelbaum and Schaal \(2017\)](#).

---

<sup>8</sup>Between 1995 and 2005, upgrades to the transportation network constituted around 12% of total World Bank lending ([Asturias et al., 2014](#))

<sup>9</sup>[Allen and Arkolakis \(2017\)](#) allow for the emergence of endogenous trade costs due to decentralised shipping choices of traders along the network

Felbermayr and Tarasov (2015) endogenise the investment decision in a stylised framework that features two countries located along a line. My model, on the contrary, embeds the government decision in a many-region spatial framework amenable to quantitative exercises, like Fajgelbaum and Schaal (2017). There are two main differences between the framework developed by Fajgelbaum and Schaal (2017) and mine. First, I model a government that chooses how to invest in infrastructure subject to the decentralised decisions of workers and firms while Fajgelbaum and Schaal (2017) model a social planner that solves for the allocation of consumption and production together with the optimal infrastructure investment. The structure of my framework, that nests a state-of-the-art spatial model in the government's maximisation problem, allows me to use the standard solution and calibration techniques in the trade and urban economics literature. In addition, the spatial equilibrium part of my model can be easily adapted to feature Ricardian trade as in Eaton and Kortum (2002) or to include commuting flows as in Ahlfeldt et al. (2018).<sup>10</sup> On the contrary, Fajgelbaum and Schaal (2017) use a general neoclassical economy model that can accommodate the Armington, Ricardian and factor-proportions models but with a discrete number of goods/sectors and exploit solution techniques developed in the transport literature to solve the optimal infrastructure problem.<sup>11</sup> Second, Fajgelbaum and Schaal (2017) solve for infrastructure investments and trade flows at the link level, leaving the origin and destination of good flows undetermined, while I solve for infrastructure investments at the regional level and I can track both trade flows across the network and the origin and destination of the flows. My paper contributes to this literature in two ways. First, with a new quantitative model that extends the state-of-the-art spatial framework (for example Redding (2016)) by explicitly modelling infrastructure choice. Second, this is the first paper to test the ability of a quantitative spatial model to explain changes in the infrastructure network exploiting an exogenous shock to economic fundamentals. The use of a shock such as the Division of Germany allows me to test the model's predictions exploiting time-variation and, thus, controlling for time-invariant location-specific factors while the previous models in the literature are tested using cross-sectional data.

The results of this paper contribute to the extensive literature about the economic effects of infrastructure investments. This literature can broadly be divided in two categories: First, papers studying the effect of infrastructure access on local outcomes (for example Donaldson (2018) on prices, Michaels (2008) and Duranton et al. (2014) on specialisation, Banerjee et al. (2012)

---

<sup>10</sup> Allen et al. (2014) show the close relation between the structural parameters in many trade and economic geography models that feature a gravity structure.

<sup>11</sup> Specifically, Fajgelbaum and Schaal (2017) re-write the problem as an optimal flow problem in the transport literature, where infrastructure can be solved for to reduce the price differentials across regions.



and [Faber \(2014\)](#) on output).<sup>12</sup> These papers rely on exogenous variation in the construction of infrastructure for identification of local effects. Second, papers studying the aggregate effects of infrastructure investments (for example [Donaldson and Hornbeck \(2016\)](#), [Allen and Arkolakis \(2017\)](#) and [Nagy \(2016\)](#) for the US, [Alder and Kondo \(2018\)](#) for China, [Asturias et al. \(2014\)](#), [Donaldson \(2018\)](#) and [Alder \(2014\)](#) for India, [Tsivanidis \(2018\)](#) for Colombia and [Morten and Oliveira \(2018\)](#) for Brazil).<sup>13</sup> These studies develop rich general equilibrium models to quantify the aggregate effects of transport infrastructure projects. This paper belongs to this second category and is the first paper to quantify the gains from reshaping a fraction of the infrastructure network after a large shock. In addition, my calibration takes into account the endogeneity of infrastructure investments while the rest of frameworks does not consider it.

Finally, this paper contributes to the literature on the role of geography and history in shaping economic activity, for example [Davis and Weinstein \(2002\)](#) on the effects of the Second World War bombings in Japan for city size, [Redding and Sturm \(2008\)](#) on the effects of the Division of Germany for city growth and, most recently, [Ahlfeldt et al. \(2018\)](#) on the effects of the Division of Berlin for agglomeration externalities.<sup>14</sup> By estimating the endogenous response of the infrastructure network to the Division of Germany, I show that infrastructure reshaping is an important mechanism that can exacerbate or attenuate the effects of shocks into the future. Finally, I provide the first estimate of the aggregate cost of path-dependence from inherited highway investments.

This paper is organised as follows: Section 2 describes the historical background that serves as a set-up to the paper and the historical data sources. Section 3 develops a new theoretical framework with endogenous infrastructure choice and section 4 explains the calibration of the model to the Pre-Division economy. Section 5 tests the ability of the model to explain the 1934 highway Plan and the new highway construction after the Division shock. Finally, section 6 reports the quantification of the economic effects of infrastructure and section 7 concludes.

---

<sup>12</sup>Other examples are [Baum-Snow et al. \(2015\)](#) on output, [Ghani et al. \(2016\)](#) and [Atack et al. \(2008\)](#) on firm size, [Möller and Zierer \(2018\)](#) on employment, [Duranton and Turner \(2012\)](#), [Baum-Snow \(2007\)](#), [Garcia-Lopez et al. \(2015\)](#), [Baum-Snow et al. \(2017\)](#) on population growth.

<sup>13</sup>Other relevant studies are [Balboni \(2017\)](#) on the interaction between climate change and infrastructure for Vietnam, [Fretz et al. \(2017\)](#) on the effects of highway on spatial sorting for Switzerland and [Heblich et al. \(2018\)](#) on the impact of the railway system for commuting patterns and urbanisation in London.

<sup>14</sup>Other related studies include [Brulhart et al. \(2012\)](#) on the effects of the Fall of the Iron Curtain for the adjustment of wages and employment in Austria and [Redding and Sturm \(2016\)](#) on the effects of the London Blitz for local economic outcomes at the neighbourhood level.



## 2 HISTORICAL BACKGROUND

### 2.1 THE DIVISION OF GERMANY IN 1949

In the aftermath of the Second World War the territory of Germany became divided into four parts: two central ones (enclosing nowadays Germany) would be occupied by foreign powers and the other two, the most eastern territories, were annexed to Poland and Russia. Figure 2 shows the territory that constituted the new German state under the occupation of the United States, Great Britain, France and Russia, with the most significant cities at the time.

Four zones of occupation were agreed upon by 1945, with each zone under the control of one foreign power to supervise the German de-militarisation. The eastern part, delimited in red in Figure 2, remained under Russian control while the western part remained under the control of the Western allies. The delimitation of the East and Western zones followed some pre-existing pattern mostly characterised by features of natural geography (Wolf, 2009). Following the deterioration of the political relations between the Western allies and Russia, with the onset of the Cold War, the two zones of occupation crystallised into two independent countries, West Germany and East Germany, in 1949.

Figure 2: Occupation of Germany after World War II



Source: US army, 1946 Figure 1: Division of Germany, 1949

West Germany was the largest territory with 53% of the former German territory and 58% of

the population (40 million in 1939).<sup>15</sup> East Germany contained around 23% of the area and 22 % of the population. The former German capital, Berlin, was located within East Germany and was also divided into West and East Berlin. It was the largest city in Germany, with 4 million inhabitants in 1939.

In the initial years after the Division, in 1949, there were some economic and political ties between the two states. Yet, the border became sealed from the Eastern side in 1952 to prevent migrations to West Germany and all trade relations halted soon after. With the construction of the Berlin Wall in 1961, all population mobility between East and West Germany stopped as well. The Division of Germany was recognised by the international community and was generally believed to be permanent.<sup>16</sup>

The Division of Germany separated territories integrated for centuries, with origins in the Kingdom of Germany around the year 1000. The foundation of the German Empire in 1871 was the culmination of decades of different levels of economic and political integration. Internal integration of Germany improved substantially after World War I and the German territories were an economically well-integrated area by 1933 (Wolf, 2009). The Division, therefore, constituted an important shock that stopped all movement of people and goods between the two states and changed the geographic configuration of West Germany.

Regarding the transportation network, the former German Empire was well connected by a railway system completed in the 1910s. This was the main mode of transportation in the XIXth century. After World War I the construction of a highway network was discussed but finally rejected by the German parliament.<sup>17</sup> The ascent to power of Hitler marked the beginning of the construction of a German-wide highway network that became one of the star policies of the Nazi party. This massive infrastructure project was intended as a way to decrease unemployment and to gain attention from the International press. Fritz Todt, appointed by Hitler as the Inspector General of German Road Construction, traced a plan for the Highway network in 1934 heavily inspired by the previous plans designed in the 1920s.<sup>18</sup>

Transit grew fast along the new highways. In 1955 short-distance shipments by truck were

---

<sup>15</sup>All numerical figures in this section are taken from Redding and Sturm (2008), and come from the 1952 edition of the Bundesrepublik statistical yearbook.

<sup>16</sup>The two German states became UN members in 1972, the perceptions of the West German population was that reunification was very unlikely even in 1980 (Gerhard Herdegen, 1992)

<sup>17</sup>In the 1920s German politicians discussed the construction of a modern highway system. They formed the HAFRABA association that lobbied for the construction of a restricted access motorway connecting Hamburg-Frankfurt-Basel and other connections between major cities (Zeller and Dunlap, 2010).

<sup>18</sup>Zeller and Dunlap (2010)

already three times larger than shipments by railway while long-distance truck shipments were one-third of railway shipments.<sup>19</sup> By 1970 short-distance shipments by truck were five times larger than long-distance shipments by rail and long-distance truck shipments in tons became larger than railway shipments by 1985.

## 2.2 HISTORICAL DATA SOURCES

In order to analyse how the Division of Germany affected infrastructure investments I need three different sets of data. First, information related to the evolution of the highway network including the outline of the 1934 Highway Plan. Second, information about economic outcomes that will serve to calibrate the model and test its predictions. Finally, additional data to use as controls in the empirical application related to the geography of Germany. The unit of observation through out the analysis will be the district (*Kreise*).<sup>20</sup> This subsection provides an overall description of the data sources employed, further details can be found in section E of the Appendix.

The first contribution of this paper will be to document the evolution of the West German highway network and the deviations of this network from the 1934 Highway plan. To do this, I collect and geo-reference data about the 1934 Plan and the Highway network. I digitise and geo-reference the outline of the 1934 Highway Plan using historical maps and compute highway kilometres planned by district. In addition, I collect and geo-reference highway construction data for East Germany and West Germany for the years 1938, 1950, 1965, 1974, 1980 and 1989 from historical maps and road atlases; and from 1950 and 1965 for federal roads. This allows me to document the length and pattern of the network by decade and by district. Figure A.2 shows the evolution of the network between these years. Figure A.3 in the Appendix displays the pace of construction of the highway network by decade, in kilometres. Finally, I use the EuroGlobal maps dataset, available online, as a source for geo-referenced data of local roads in order to complete the German road network.

To calibrate the theoretical model and test its validity I also require information on historical economic outcomes. I use population data available by decade since 1938 at the district level (*Kreise*) from the historical census. In addition to population data, I collect and digitise data of traffic of goods by road for 18 aggregated traffic districts in Germany, for the year 1939. The traffic

---

<sup>19</sup>The data source is the Statistical Yearbook of the Bundesrepublik, multiple years. Figure A.1 in the Appendix shows goods traffic in tons by mode of transport.

<sup>20</sup>There are 412 districts between East Germany and West Germany of which 313 districts are in West Germany. For the empirical results the 313 districts are merged according to Mikrocensus regions to account for metropolitan areas.


data is collected in tons and reported in an aggregated way, as total shipments and total reception by traffic district from the "Statistisches Jahrbuch für die Deutsches Reich".

Finally, I collect supplementary geographical data such as area in squared kilometres by district and distance to different geographical boundaries such as the East German border and the border with Western Europe.

## 2.3 RESHAPING OF THE HIGHWAY NETWORK AFTER DIVISION

In the remaining of this section I will document the construction of the German network of highways up until the Division and the completion of the network in West Germany over the following decades. Figure 3 shows the 1934 Highway plan over the territories of West Germany and East Germany. As we can see, many of the planned highways were cut by the new border or passed very close to it. The existence of this Pre-Division plan represents the initial design of the German government to connect the German territory before the Division. The outline of this Highway Plan serves as a counterfactual for the network that would have been built given the economic fundamentals of 1934.

Figure 3: Highway plan of 1934 and Highway construction before Division



**Notes:** The figure plots the territories of West Germany and East Germany, delineated in black. The outline of the 1934 Highway plan is plotted in light grey. The highway links that had been built by the year 1946 are plotted in black.

Construction was fast: half of the 6000 kilometres planned were built between 1934 and the beginning of World War II. Figure 3 depicts in dark grey the highways that had been built by the year 1946 over the outline of the 1934 Highway Plan. As it is clear in the figure, the construction of highways up until the Division followed the pattern of the Plan with almost no deviation. After World War II construction resumed and by 1974, thirty years after the beginning of construction, 5000 kilometres had been completed. To document whether this additional 3000 kilometres were built following the 1934 Highway outline I classify the old and newly constructed highways, into investments that were planned and investments that were reshaped, and allocated to a different district. I find that the highways built until 1950 followed the 1934 Highway Plan (95% of kilometres were planned) while I find considerable reshaping after the Division. Only 47.2% of the kilometres built between 1950 and 1970 followed the 1934 Highway Plan while 52.8 % of the kilometres deviate from the 1934 planned allocation.

Table 1: Highway investment allocation ( in %)

Network	Included in the 1934 Highway Plan		Total
	Yes	No	
Highway km 1950 (2128 km)	95	5	100
Highway km 1950 to 1974 (3015 km)	47.2	52.8	100

**Notes:** Share of highway investments (in kilometres) allocated according to the 1934 Highway Plan. Column 1 represents the share of kilometres that were included in the 1934 Highway plan while column 2 represents the share of kilometres that were not included in the 1934 Plan, and were reshaped. The first row refers to the share of kilometres built until 1950 while the second row refers to the new kilometres added between 1950 and 1970.

This decomposition shows that the highway network in 1974 presents several deviations from the original plan.

In the next section I build a multi-region spatial trade model with endogenous infrastructure investments to analyse the sources of these deviations, and to quantify to what extent they can be explained by the change in economic fundamentals that followed the Division of Germany.

### 3 A THEORETICAL MODEL OF ENDOGENOUS INFRASTRUCTURE CHOICE

In this section, I outline a spatial trade model with endogenous transport infrastructure.<sup>21</sup> I first characterise the spatial equilibrium of the model given an initial infrastructure network. Then I introduce a government that chooses how to invest in the infrastructure network to maximize aggregate welfare. The solution of the model characterises the optimal infrastructure investment,

<sup>21</sup> A detailed exposition of the theoretical framework is contained in section C of the Appendix.

defined as the upgrade in the infrastructure network that maximises welfare. Finally, I use the model to derive qualitative predictions about the response of infrastructure to a shock such as the Division of Germany in 1949. The framework features many locations that produce an endogenous measure of differentiated varieties like in [Krugman \(1980\)](#). These varieties can be traded across space subject to transport costs. Workers move across locations to maximize their expected utility that depends on real income and heterogeneous preferences for locations. The model builds on the family of quantitative spatial models reviewed by [Redding and Rossi-Hansberg \(2017\)](#) and is specially close to [Redding \(2016\)](#). I make two contributions with respect to this framework. First, I introduce a new transport cost function that includes infrastructure quality. Second, infrastructure quality is chosen by the government to maximise aggregate welfare.

### 3.1 MODEL SET-UP

**Workers** The model features costly trade across many districts,  $i = 1 \dots N$ , endowed with exogenous labour productivity,  $A_i$ . There is a measure  $L$  of workers in the economy. Workers derive utility from the consumption of differentiated varieties of the tradable good, from the consumption of housing and from the taste they have for the district they choose to live in. Workers spend a fraction  $\alpha$  of their income on the available differentiated varieties and have CES preferences across varieties, with elasticity of substitution  $\sigma > 1$ . The remaining income share  $(1-\alpha)$  is spent on housing. Finally, workers have heterogeneous preferences across different districts. These preferences are modeled as an idiosyncratic taste component  $b_i$ . Worker  $\omega$  draws a vector of  $N$  realisations  $\{b(\omega)_i\}_{i=1 \dots N}$  from a Fréchet distribution with shape parameter  $\epsilon$ , that governs the dispersion of preferences across workers for different districts.<sup>22</sup>

**Firms** Production of the differentiated varieties takes place under monopolistic competition, following [Krugman \(1980\)](#). Firms pay a fixed cost of production as well as variable costs in terms of labour, so each firm produces a single differentiated variety in equilibrium. Firms maximise profits by charging a constant mark-up over the marginal cost of production equal to  $\frac{1}{\sigma-1}$ . Production uses labour as the only input and labour productivity is determined by the district-specific productivity level  $A_i$ . The free entry condition drives profits down to zero and pins down the scale of production of each firm. The labour market clearing condition can be solved for the total number of varieties

---

<sup>22</sup>The parameter  $\epsilon$  governs the dispersion of heterogeneous preferences across workers. A large  $\epsilon$  implies a low dispersion of the distribution (low standard deviation). Thus, the idiosyncratic preferences are more similar across districts for all workers. Workers have resembling tastes so they react more strongly to changes in real incomes. On the contrary, when  $\epsilon$  is small the dispersion in preferences is large, and workers are very heterogeneous in their taste.



produced in a district and will be a function of the size of the district in terms of population.

**Housing** Residential land is assumed to be in fixed supply, as a function of land endowments. I denote the endowment of residential land in district  $i$  by  $H_i$ , that can be used for housing. Each agent spends  $(1 - \alpha)$  share of her income on renting residential land. Expenditure on land in each location is redistributed lump-sum to the workers residing in that location as in Redding (2016). This implies that total income in district  $i$ , denoted by  $v_i L_i$ , will equal total labour income plus expenditure on residential land:  $v_i L_i = w_i L_i + (1 - \alpha)v_i L_i = w_i L_i / \alpha$ . This assumption minimises the effects of introducing a housing market in the model while still allowing for a dispersion force that motivates workers to spread across locations because they “dislike” paying high rents.<sup>23</sup> The land market clearing condition will pin down the equilibrium land rent,  $r_i$ , in each location.

**Geography** The geography of the framework is as follows. Districts have some geographic surface of similar size. Workers are concentrated in the centre of the district where consumption and production happen. The set of districts,  $i = 1 \dots N$ , are located on a finite plane of generic shape. Each district is connected to the adjacent locations by the infrastructure network<sup>24</sup>. These network links can be transited freely by workers but moving goods is costly. The cost of transit depends on the distance that has to be covered and the quality of the infrastructure along that geographic distance. Figure 4 provides an illustrative example. This geography can be represented by a graph of edges (infrastructure links) and vertices (population settlements). The set of settlements in this network is fixed, so there is no city creation or destruction. The set of links is also taken as given.<sup>25</sup> The quality of the links, on the contrary, can be improved by investing in infrastructure.

### 3.2 TRANSPORT COSTS

Consuming non-locally produced varieties is costly because of the dispersion of production and population across the grid of districts.<sup>26</sup> The price of variety  $i$  consumed in district  $n$  is given by the

<sup>23</sup>The real income in location  $i$  will be  $w/(P^\alpha r^{1-\alpha})$


<sup>24</sup>In the calibration of the model the connexion to adjacent districts will be given by the assumed underlying network that is constructed from the existing local roads and federal roads (Bundesstrasse)

<sup>25</sup>The assumption of a fixed network of links that can be upgraded in terms of quality is also present in related papers in the literature. This constitutes an important difference with the literature about banking, social and business networks where the links are endogenous. Allen and Arkolakis (2014), on the contrary, consider the continuum of space as the domain for the transport cost function that is defined at every point of the plane (instantaneous trade costs). The existence of transport network changes the cost of transit over specific points of the plane.

<sup>26</sup>I assume a domestic closed economy. Thus, there are no tariffs or other trade costs in addition to transport costs.



Figure 4: Example of simple geography



**Notes:** Geography with 9 regions; dots are the population centres. In grey the initial transport network, with the same initial quality.

production price,  $p_i$ , and the transport cost of shipping between district  $i$  and district  $n$ :<sup>27</sup>

$$p_{i,n} = p_i T_{i,n}. \quad (1)$$

I will now define how the matrix of transport costs  $\{T_{i,n}\}_{i,n=1\dots N}$  is determined.

**Cost of transit** The cost of shipping a good along district  $i$  will depend on geography,  $D$ , which determines the distance that has to be covered across the district, and the quality of infrastructure,  $\Phi$ , that will determine how costly (fast) can this distance be transited. The ad-valorem cost of shipping across district  $k$  is defined as the cost of transit:

$$\text{Cost of transit}_k = \frac{D_k}{\phi_k^\gamma}. \quad (2)$$

where I use  $\phi_k$  to denote the district-level infrastructure in  $k$  and  $\Phi$  to denote the vector of infrastructure allocations. I assume that the quality of infrastructure is homogeneous within a district.<sup>28</sup> This specification of transit costs means that  $D_k/\phi_k^\gamma$  units of the good shipped will be paid for shipping 1 unit of any good across district  $k$ . As we can see, a higher infrastructure investment will reduce the ad-valorem cost of transiting a district. In the quantitative exercise  $\phi_k$  will be the quality of the road and its empirical counterpart will be highway construction.

<sup>27</sup>Without loss of generality, I denote the origin of a trade flow with subscript  $i$  and the destination of a trade flow with subscript  $n$ .

<sup>28</sup>In the real world a district may have one very high-quality highway and one very low-quality road. Therefore, we may think of  $\phi_i$  as the average quality of the infrastructure stock in district  $i$ .

I assume that  $\phi_k \geq 1$ , so that the transport cost will always be bounded above by the physical geography. Parameter  $\gamma$  is the returns to infrastructure investments. It measures the elasticity of the ad-valorem transit cost to infrastructure investments. I assume it to be positive, so that the cost of transit is decreasing on infrastructure investments. It determines whether infrastructure has increasing returns ( $\gamma > 1$ ) or decreasing returns ( $\gamma < 1$ ).

**Least-cost path problem** Given the cost of transit along all districts, what is the cost of shipping a good from district  $i$  to district  $n$ ? In this network economy there will be many alternative paths to ship goods between districts  $i$  and  $n$ . I assume goods are shipped following the least-cost path. Thus, the transport cost matrix will be the collection of bilateral transport costs along the least-cost path between each district pair. This is similar to modelling a shadow transport sector that operates under perfect competition, and therefore, ships goods at the minimum costs. To represent the cost-minimising combination of N-by-N paths that connect all districts I define a least-cost path matrix for each district. Each of these matrices is N-by-N and indicates whether a district  $k$  is included in the path that links any other district-pair along the cost-minimising route. It is related to the *transition matrix* in the network literature as it indicates how to transition from one node of the network to any other. For district  $k$ , the element  $\mathbb{I}_{i,n}^k \in \mathbb{I}^k$  indicates whether district  $k$  will be on the path when shipping goods from district  $i$  to district  $n$  and is defined as:

$$\mathbb{I}_{i,n}^k = \begin{cases} 1, & \text{if } k \text{ is a transit district in the path between } i \text{ and } n \\ 0, & \text{if } k \text{ is not a transit district in the path between } i \text{ and } n. \end{cases} \quad (3)$$

We can now define the transport cost between any two districts  $i$  and  $n$ ,  $T_{i,n}$ , as

$$T_{i,n} = \left[ \sum_k \mathbb{I}_{i,n}^k \frac{D_k}{\phi_k^\gamma} \right], \quad (4)$$

where  $\phi_k$  is the infrastructure level in district  $k$ ,  $D_k$  is the length of district  $k$  and  $\mathbb{I}_{i,n}^k$  is the  $(i, n)$  element of the least-cost path matrix of district  $k$ . The transport cost between  $i$  and  $n$  is simply the sum of the geographical distance between them scaled by the infrastructure quality of all the districts that are transited along the least-cost path.<sup>29</sup>

Figure 5 illustrates the transport cost function with a simple example. Consider the three German

---

<sup>29</sup>Given that we have defined  $\{\mathbb{I}_{i,n}^k\}$  as the least-cost path matrix this implies that we can also express the transport friction between  $n$  and  $i$  as  $T_{i,n} = \min_m(T(p_{i,n}^m))$  where  $T(p_{i,n}^k)$  is the transport cost of shipping a good from  $i$  to  $n$  along path  $m$  and  $M$  would be the set of possible paths.

districts in the figure (A, B and C) located sequentially. The transport cost between A and B will be  $T_{A,B} = \frac{D_A}{\phi_A^\gamma} + \frac{D_B}{\phi_B^\gamma}$  because these two regions are contiguous. Yet, the transport cost between A and C will be  $T_{A,C} = \frac{D_A}{\phi_A^\gamma} + \frac{D_B}{\phi_B^\gamma} + \frac{D_C}{\phi_C^\gamma}$ . The distance and infrastructure level in district B will affect the transport cost between A and C. In standard trade models, this middle term will always be zero because direct shipping is assumed. This assumption implies that the cost of shipping between any origin and any destination only depends on origin and destination-specific parameters. However, to study road transportation we need a more general specification of the transport cost function that takes into account the spatial nature of transport costs.




Figure 5: Transport costs: Illustration

Notice that the least-cost path indicator  $\{\mathbb{I}_{i,n}^k\}$  will always be one when  $k = i$  and  $k = n$ . But when  $k \neq \{i, n\}$  there will be differences in the value of this indicator for different districts. Districts located in the centre of the geography will be along the path of most trade flows. Districts located in the margins of the geography will almost never be transited by trade flows between other districts.

Finally, I adopt a normalisation common to all trade models by assuming  $T_{i,i} = 1$ , equivalent to assuming free intra-district trade and normalising the cost of trading out of the district by the internal shipping cost.

### 3.3 LOCATION CHOICE AND SPATIAL EQUILIBRIUM

**Worker location choice and Welfare** Workers choose where to live by maximising indirect utility, given by real income and the idiosyncratic preference taste. The distribution of indirect utility is also Fréchet and, given the properties of this probability distribution, we can write the share of workers that choose to live in district  $i$  as:

$$\frac{L_i}{L} = \frac{(v_i/P_i^\alpha r_i^{1-\alpha})^\epsilon}{\sum_{n=1}^N (v_n/P_n^\alpha r_n^{1-\alpha})^\epsilon}, \quad (5)$$

where  $v_i = w_i/\alpha$  denotes total income in location  $i$ . Expected utility for a worker across locations is given by:<sup>30</sup>

$$\tilde{U} = \delta \left[ \sum_{i=1}^N (v_i/P_i^\alpha r_i^{1-\alpha})^\epsilon \right]^{1/\epsilon}, \quad (6)$$

where  $\delta = \Gamma\left(\frac{\epsilon}{\epsilon-1}\right)$  and  $\Gamma(\cdot)$  is the gamma function. We impose  $\epsilon > 1$  to ensure a finite value of the expected utility. Because indirect utility follows a Fréchet distribution the expected utility conditional on living in district  $i$  is the same across all districts and equal to the expected utility of the economy as a whole.<sup>31</sup> Following Redding (2016), I use this measure of expected utility as a proxy for aggregate welfare.

**Spatial equilibrium** For a given initial transport network defined by  $\{D, \Phi, \{I_{i,n}^k\}_{\forall i,n,k}\}$  and exogenous land endowments  $\{H_i\}_{\forall i \in N}$  and productivities  $\{A_i\}_{\forall i \in N}$ , the spatial equilibrium is a combination of wages, price indices, rents and labour allocations,  $\{w_i, P_i, r_i, L_i\}$  such that for all districts the goods and housing markets clear in each district, the domestic labour market clears domestically and expected utility is equalised across all workers. The equilibrium trade shares and rental rates can be solved as a function of these four equilibrium variables. The following equations define the equilibrium vector  $\{w_i, P_i, r_i, L_i\}$ :

The goods market clearing is given by the balanced trade condition:

$$w_i L_i = \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{w_i}{A_i} T_{i,j} \right)^{1-\sigma} (P_j)^{\sigma-1} w_j L_j, \forall i. \quad (7)$$

The Price index in district  $i$  given by:

$$P_i^{1-\sigma} = \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{w_j}{A_j} T_{j,i} \right)^{1-\sigma}, \forall i. \quad (8)$$

The rental rate is given by the clearing of the housing markets:

$$r_i = \left( \frac{1-\alpha}{\alpha} \right) \frac{w_i}{L_i}, \forall i. \quad (9)$$

<sup>30</sup>See part C of the appendix for derivation details

<sup>31</sup>Because more productive districts attract more workers despite their preference taste the expected value of indirect utility,  $E(b_n w_n / P_n^\alpha r_n^{1-\alpha})$  will equalise across locations.

The fraction of workers that chooses to live in district  $i$  is determined by the worker's utility maximisation problem and implies the following workers' residential choice equation:

$$\frac{L_i}{L} = \frac{(v_i/P_i^\alpha r_i^{1-\alpha})^\epsilon}{\sum_{n=1}^N (v_n/P_n^\alpha r_n^{1-\alpha})^\epsilon}. \quad (10)$$

Equations (7), (8), (9) and (10) can be solved for the equilibrium vector  $\{w_i, P_i, r_i, L_i\}$ . Lastly, the equilibrium level of expected utility,  $\tilde{U}$ , is implicitly determined by the domestic labour market clearing,  $\sum_i L_i = L$ .

**Existence and Uniqueness** As shown in Redding (2016) the condition for the existence and uniqueness of the spatial equilibrium will hold if the elasticity of expected utility to the labour share in a district is negative, this is, if the dispersion forces are stronger than the agglomeration forces of the model.<sup>32</sup> In the kind of models with housing and imperfect labour mobility, the condition for existence and uniqueness of the equilibrium is

$$\sigma \left( 1 - \frac{\alpha}{1 + \frac{1}{\epsilon}} \right) > 1. \quad (11)$$

### 3.4 PROBLEM OF THE GOVERNMENT: CHOICE OF INFRASTRUCTURE INVESTMENT

I model the choice of infrastructure as a Stackelberg game between the Government and the economic agents in the economy (workers and firms). The Government is the leader and thus has the advantage to choose first in the game. The game is solved by backward induction. Thus, the Government chooses infrastructure to maximise expected utility,  $\tilde{U}$ , constrained by the choices of workers and firms, given by the decentralised equilibrium allocation. This set-up is similar to a Ramsey problem with a Government that maximises welfare replacing the FOCs from the problems of consumers, firms and workers into the constraints.

I assume that the Government can choose how to allocate a fixed amount of resources to improve infrastructure across all the districts in the economy. This budget, that I denote by  $Z$ , is modelled as an endowment of the government and thus, is assumed to be exogenous to the government's decision. The budget is not charged to consumers via taxes or any other public finance tools. The cost of investing in district  $i$  is  $c_i \phi_i$  and the budget constraint of the government is:

$$\sum_i c_i \Phi_i \leq Z. \quad (12)$$

---

<sup>32</sup>The proof follows the same structure as in Allen and Arkolakis (2014)

The marginal cost is equal to  $c_i$ , that is allowed to differ across districts.

**Government's problem** We can write the problem of the Government as follows:

$$\text{Max}_{\{\Phi_j\}} \delta \left[ \sum_{i=1}^N (v_i(\Phi)/P_i(\Phi)^\alpha r_i(\Phi)^{1-\alpha})^\epsilon \right]^{1/\epsilon},$$

subject to:

1. *Goods market clearing*

$$w_i L_i = \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{w_i}{A_i} T_{i,j} \right)^{1-\sigma} P_j^{\sigma-1} w_j L_j, \forall i. \quad (14)$$

2. *Labour market clearing*

$$\frac{L_i}{L} = \frac{(w_i/P_i^\alpha r_i^{1-\alpha})^\epsilon}{\sum_{k=1}^N (w_k/P_k^\alpha r_k^{1-\alpha})^\epsilon} \text{ and } \sum_i L_i = \bar{L}. \quad (15)$$

3. *Minimum trade costs*

$$T_{i,k} = \left[ \sum_n \mathbb{I}_{i,k}^n \frac{D_n}{\Phi_n^\gamma} \right]. \quad (16)$$

4. *Government's budget constraint*

$$\sum_i c_i \Phi_i D_i \leq Z, \quad (17)$$

where  $P_i = \left[ \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{1}{A_j} T_{j,i} \right)^{1-\sigma} \right]^{1/(1-\sigma)}$ ,  $r_i = \left( \frac{1-\alpha}{\alpha} \right) \frac{w_i}{L_i}$  and  $\delta = \Gamma(\frac{\epsilon}{\epsilon-1})$ , where  $\Gamma$  is the gamma function.

**Intuition for Welfare effects** To build some intuition about the effects of infrastructure investment on welfare let us consider the same problem but without allowing the matrices of least-cost paths to change and in a model with no housing ( $\alpha = 1$ ). This assumption avoids a response of the shipping decision to a change in infrastructure upgrading and abstracts from the response of rents to new investments.<sup>33</sup> Holding the shipping path between every pair of districts constant, the first order

<sup>33</sup>Allowing for changes in the shipping path would just add an additional term to the expression below, accounting for how the shipping path matrix will change after an infrastructure upgrading. This effect is not quantitatively very large.

condition with respect to  $\phi_j$  is:<sup>34</sup>

$$\begin{aligned} \frac{\partial \mathcal{L}}{\partial \phi_j} = 0 : & \underbrace{\delta^{1/(1-\epsilon)} \sum_i \sum_k \left(\frac{U}{v_i}\right)^{1-\epsilon} \frac{X_{k,i}}{P_i} \gamma_{k,i}^j \frac{D_j}{\phi_j^{\gamma+1}} p_k}_{\text{Direct effect}} + \underbrace{(\sigma - 1) \sum_i \sum_k \eta_i X_{ki} \left( \frac{\partial T_{ki}}{\partial \phi_j} \frac{1}{T_{ki}} - \frac{\partial (P_k)}{\partial \phi_j} \frac{1}{P_k} \right)}_{\text{Response of wages}} \\ & + \underbrace{\epsilon \sum_i \lambda_i \frac{L_i}{L} \left( \frac{\partial P_i}{\partial \phi_j} - \sum_k \frac{\partial P_k}{\partial \phi_j} \frac{1}{P_k} \right)}_{\text{Response of Labour}} = \underbrace{\mu c}_{\text{Marginal cost}}, \end{aligned} \quad (18)$$

where  $v_i$  denotes now real income in district  $i$ ,  $v_i = \frac{w_i}{p_i^\alpha r_k^{1-\alpha}}$ .

Equation (18) shows that infrastructure investment is chosen so that the marginal benefit of investing in a district, left-hand side of the equation, equates the marginal cost of building infrastructure in that district. Notice that the marginal benefit of investing in district  $j$  includes the sum of the gains from investing in district  $j$  across all districts in the economy that may benefit from the change, similar to the Samuelson rule for the allocation of public goods.

The marginal benefit is composed of a direct effect and the indirect effect coming from the response of wages and population. As we can see, the direct effect is just the partial equilibrium effect of an upgrade of infrastructure on aggregate welfare, before the adjustment of wages and population. This effect is the largest, quantitatively, and affects real income through the effect of infrastructure investments on the Price index of tradable goods. In addition to the partial equilibrium effects the change in infrastructure quality will trigger a response of wages and population that will adjust in response to the new infrastructure quality. In quantitative terms the response of wages and population is small compared to the response of the Price index. The response of wages is increasing on the elasticity of substitution across goods,  $\sigma$ , and the response of population is increasing on the degree of homogeneity across workers,  $\epsilon$  (recall that  $\epsilon \rightarrow \infty$  is the case with perfect worker mobility).<sup>35</sup>

We can build intuition about the optimal infrastructure allocation by approximating infrastructure investment in district  $j$  with the *partial equilibrium* effects. Rearranging the terms of equation (18)

<sup>34</sup>The derivations use Roy's inequality to get the direct effect and can be found in the part C of the Appendix.

<sup>35</sup> Notice that changes in the transport costs will trigger a larger response of wages if goods are very good substitutes, thus triggering a large trade response to changes in prices, and if workers are very mobile, thus triggering a large response of workers to changes in real income.



we can write an expression for the infrastructure investment level in district  $j$ :

$$\phi_j^{\gamma+1} \approx D_j C \left( \underbrace{\sum_k (h_{k,j} + h_{j,k})}_{\text{Size=Importance as } source \text{ of trade}} + \underbrace{\sum_{i \neq j} \sum_{k \neq j} \mathbb{I}_{k,i}^j h_{k,i}}_{\text{Centrality=Importance as a } hub \text{ for trade}} \right), \quad (19)$$

where the function  $h_{k,j} = v_k^{1-\epsilon} \frac{X_{jk}}{P_k} p_j^{-\sigma}$  is increasing in exports from  $k$  to  $j$ . Equation (19) shows that infrastructure investments will be higher in districts that trade more, first term in the parenthesis, and in districts that are transited by large trade flows, second term in the parenthesis.

This expression is a non linear function of the weighted sum of total trade flows that originate in  $j$ , end in  $j$  or transit  $j$ , with weights being a function of real incomes. To see why notice that  $\mathbb{I}_{k,i}^j$  will be one every time  $i = j$  or  $k = j$  and when  $j$  is transited by a trade flow between a pair of regions not including  $j$ . For all other trade flows the indicator  $\mathbb{I}_{k,i}^j$  will be zero and will not show up in this expression. Thus, the infrastructure level in district  $j$  will be a function of the total trade flows that originate or end in  $j$  and of the trade flows that transit  $j$ . The labels indicate that we can think of this expression as a function of the importance of district  $j$  in terms of size (importance as a *source* of trade) and in terms of centrality (importance *hub* for trade flows).

### 3.5 THE DIVISION OF GERMANY IN 1949

The theoretical framework developed in this section helps us understand what is the optimal infrastructure pattern across regions in a general equilibrium framework. As indicated in equation (19) infrastructure investment will be higher in districts that are an important *source* of trade flows, and in districts that are an important *hub* for trade flows. In this framework, a permanent change in the size of trade flows or trade transit in a district would create incentives to reshape the infrastructure network. Given some infrastructure budget, the new investments would be allocated to maximise aggregate welfare given the new fundamentals and the investments already made.

The Division of Germany into East Germany and West Germany in 1949 was a sharp shock to the trade partners of West German districts (Redding and Sturm, 2008). Firstly, it caused a reduction in the domestic exports and imports of West German districts as all trade with East Germany stopped. Besides, the transit going through different West German districts was affected because districts near the Inner German border, very central before Division, became remote after Division. Finally, it even caused a change in the transportation network because the border cut through some of the

already existing highways and roads.

In the next section I take the model to historical data of Germany to simulate the effects of the Division on the optimal infrastructure network and test to what extent this quantitative framework can explain the observed highway reshaping documented in section 2.

## **4 CALIBRATION OF THE MODEL: SPATIAL EQUILIBRIUM**

In the previous section I have built a quantitative spatial model that incorporates endogenous infrastructure construction. In this section, I take the model to the data. The goal of this section is to achieve a quantification of the model that captures the economic geography of Germany and can be used as a tool to understand the effects of the Division shock on the reshaping of the transport network.

I follow a two-step strategy to quantify the model detailed in the previous section. First, I calibrate the model to the German economy before the Division. This calibration, that will target the year 1938, abstracts from the endogenous response of infrastructure investments. The goal of this first step is to test whether the predictions of a spatial equilibrium model with a fixed infrastructure network can match the patterns in German data from the year 1938. I use newly collected data of shipments of goods by road within Germany to assess the fit of the model's predictions given the infrastructure network at that time.

The second step is to use the model to compute the optimal highway network before the Division of Germany. The optimal network is the solution to the government's problem presented in section 3. I compare the model-generated optimal network with the 1934 highway plan to check the ability of the model to capture the main objectives in highway network planning.

### **4.1 STRATEGY: CALIBRATION BEFORE DIVISION**

The goal of this calibration is to obtain a quantitative model that represents as close as possible the spatial equilibrium of the German economy before the Division. To take the model to the data I need to calibrate two sets of parameters: first, the pre-Division transport network that will determine the initial transport cost matrix, second, the parameters of the model that will determine the spatial equilibrium.

#### 4.1.1 Initial network and Transport costs

The geography of this model is a graph composed of a set of districts linked by the transport network. This graph represents the underlying geography of Germany and is assumed to be fixed. The quality of the links can be upgraded by investing in infrastructure. I build the underlying graph as follows. I combine the highways, (Autobahns) and all federal highways (Bundesstraße) that existed in 1950.<sup>36</sup> I add the local roads needed to ensure that all districts in Germany are connected to the network. This gives me a network that contains all german districts.<sup>37</sup> Figure A.4 in the Appendix displays the roads chosen for the initial network and the graph corresponding to this network.<sup>38</sup>

After building the network, I compute the cost of transporting goods following [Combes and Lafourcade \(2005\)](#). I compute the shipping cost by adding a time-related component and a distance-related component. These costs are the frictions that the government will be able to reduce by investing in infrastructure quality. Finally I convert the computed initial transport costs (in euros) to ad-valorem transport costs by scaling the cost of shipping by the average value of the shipment of a truck in Germany in 1950. Full details about the cost computation can be found in part D of the Appendix.

Given the graph and the associated transit costs I can compute the initial transport cost matrix by applying a least-cost path algorithm to the network. This calibration gives me the transport cost matrix in 1938, before the German Division.

#### 4.1.2 Parameter choice

In addition to the transport cost matrix  $\{T_{i,n}\}$ , calculated as explained above, the model described in section 3 has several additional parameters to be calibrated. First, there are two district-specific vectors of parameters:  $A_i$ , the exogenous productivity of each district and  $H_i$ , the land endowment of each district. Then there are standard parameters present in other trade and spatial models. This is the case of  $\alpha$ , the share of tradable goods in total expenditure,  $\epsilon$ , the shape parameter of the Fréchet distribution from which idiosyncratic tastes are drawn and  $(\sigma - 1)$ , the trade elasticity. Finally, the model has three parameters related to the construction of infrastructure:  $\gamma$ , the elasticity of transport costs to infrastructure investments,  $Z$ , the budget of the government for infrastructure upgrades and  $\{c_i\}$  the district-specific marginal cost of construction.

---

<sup>36</sup>The federal highways are roads with multiple lanes but not limited-access like Autobahns

<sup>37</sup>I provide further details of the construction of the network in D of the Appendix.

<sup>38</sup>For the network construction I use the Network Analysis toolkit in the geographic information software ArcGIS.

**Standard parameters calibrated to exogenous values** I calibrate  $\{\epsilon, \alpha\}$  to existing values in the literature. I set the shape parameter of the Fréchet distribution to  $\epsilon = 3$  following the estimated value from domestic migration flows across U.S. counties by [Monte et al. \(2015\)](#). I vary this parameter in robustness checks to  $\epsilon = 7$ , value estimated for the heterogeneity of worker's preferences governing commuting and location choices within Berlin in [Ahlfeldt et al. \(2018\)](#). I calibrate an expenditure share of tradables of  $\alpha=0.7$ , leaving an expenditure share of housing of  $(1 - \alpha) = 0.3$  following [Redding and Sturm \(2008\)](#) in their study about the population growth effects of the German Division.

**Standard parameters calibrated to Germany 1938** The district-level productivities,  $\{A_i\}$ , are calibrated to match the population distribution of Germany in the year 1938: I compute the productivity level of each district by inverting the spatial equilibrium and solving for the vector of district productivities that, in equilibrium, delivers the population distribution observed in the data.<sup>39</sup> I use population at the district-level for 1938 from the German Census collected in the Statistical Yearbooks of the Federal Republic of Germany.

The district-level land endowments,  $\{H_i\}$ , are equated to the surface of each district in squared kilometres as measured in the data.

**Parameter estimated using the full-structure of the model: Trade elasticity** Finally, I use data on shipments by road over 10 distance brackets in 1938 to calibrate the trade elasticity parameter  $(1 - \sigma)$ . For this estimation I use the full structure of the model with fixed infrastructure. First, I estimate the elasticity of trade shipments to distance using historical data of shipments and obtain an estimate of  $\beta = -2.8^{***}$ . This estimate is larger than the average magnitude estimated in the literature but transiting through ground-transport means, such as roads, has been shown to yield substantially higher distance coefficients([Disdier and Head \(2008\)](#)).

Under the standard assumptions of the gravity equation this elasticity is the product  $\beta = (1 - \sigma) \times \nu$ , where  $\nu = \partial \log(T_{i,j}) / \partial \log(\text{dist}_{i,j})$ . The consensus in the literature is to choose  $\nu = 0.3$  ([Monte et al. \(2015\)](#) among others). The parameter  $\nu$  does not have an exact counterpart in my model. It will be a combination of the elasticity of transport costs to distance along different types of road and conditional on transit over the least-cost path.

To compute the value of  $\sigma$  implied by the estimated elasticity of  $\beta = -2.8^{***}$  we need the elasticity  $\nu$  in 1938 as implied by my model. To this end I set the elasticity of substitution to  $\sigma=5$ , following the consensus in the trade literature (for example ([Broda et al., 2008](#))), and compute the

---

<sup>39</sup>This calibration technique is explained in the survey by [Redding and Rossi-Hansberg \(2017\)](#)

implied trade flows across all district pairs conditional on the parameter values chosen above. The elasticity of trade shipments to distance in the model with  $\sigma = 5$  is  $\beta^{model} = -1.84^{***}$ , which implies a value of  $\nu = \partial \log(T_{i,j}) / \partial \log(dist_{i,j}) = 0.46$ . Given  $\nu = 0.46$ , I set  $\sigma = 7$  in order to achieve an elasticity of trade flows with respect to distance that matches the estimated elasticity in the data of 1938 ( $\beta^{model} = -2.8$ ). Table B.1 shows that the elasticity of trade shipments to distance in the model with  $\sigma = 7$  is  $\beta^{model} = -2.78^{***}$ , equal to the elasticity estimated in the data.

**Parameters related to Infrastructure-choice** To test the predictions of the model in relation with population changes and trade flows we need the parameters related to infrastructure choice,  $\{\gamma, Z, c\}$ . The calibration and estimation of the parameters related to infrastructure choice,  $\{\gamma, Z, c\}$  is explained in the next section.

## 4.2 MODEL FIT: PERFORMANCE BEFORE DIVISION

Given the initial transport network summarised by  $\{T_{i,n}\}$  and the value of the model parameters chosen above I solve for the spatial equilibrium defined by equations (7), (8), (9) and (10) of section 3. With the equilibrium endogenous variables  $\{w_i, P_i, r_i, L_i\}$  I find the model simulated trade matrix between all German districts.


As a first check I show that the relation between trade flows and distance is very close in the data and in the model. I collect the total tons of goods shipped by distance bracket from manufacturing shipments and furniture shipments in the year 1938 within Germany.<sup>40</sup> I construct the share of shipments in real terms by distance bins in equilibrium using the calibrated model and compare the model's predictions with the data. Figure 6 plots the density of trade flows over distance in the data (continuous line) and in the model (dashed line). The very good fit of the model to the data is not surprising because I calibrate  $\sigma = 7$  to match the elasticity of trade flows to distance but it is reassuring that such a good fit can be achieved by fitting only one parameter.

To check the model fit I aggregate total trade by district into a different classification, traffic-districts (*Verkehrsbezirken*), for which I observe road shipments in the historical data. The data provides a measure of the total tons of goods received by road in any traffic-district from the rest of Germany and of total tons shipped to the rest of Germany. This information is available for 18 traffic-districts (that contain all 412 districts in Germany). I compare the predicted trade in the model with the total imports and total exports of each traffic-district in the data.

---


<sup>40</sup>Data collected from Statistical yearbook of the Deutsches Reich (1940)

Figure 6: Model fit of trade flows over distance



Notes: Share of total weight of good shipments by distance bins. The continuous line plots the density of goods shipments over distance in the goods traffic data while the dashed line plots the density of trade flows over distance in the model. Goods shipments only contain shipments by truck of manufacturing firms and furniture.

Figure 7: Model fit of domestic trade



Notes: Each dot represents one traffic-district, there are 18 in total. Data comes from the Statistical Yearbook of the Bundesrepublik, year 1940. The road shipment data is collected in tons and split up by tons imported and tons exported to the rest of German districts.

Figure 7 plots the goods traffic data against the model predictions. The correlation between the model and the data is  $\text{corr}=0.59$  for total imports and  $\text{corr}=0.70$  for total exports (the model

explains 35% of the cross-sectional variation in imports and 50% of the variation in exports, as measured by the R-squared). Thus, the calibration presented in the previous sub-section does an excellent job in replicating trade flows across German districts before Division.

These two tests show that the model has the ability to explain the spatial equilibrium of Germany and captures well the trade flows observed in the cross-sectional data.

### 4.3 MODEL FIT: PERFORMANCE IN CHANGES AFTER DIVISION

I now provide two additional test of the ability of the spatial model with endogenous infrastructure networks to explain economic outcomes. To this end, I exploit the unexpected appearance of a border between East and West Germany after the Second World War. The Division of Germany happened as a result of the increasing tensions the United States and the Soviet Union. While the Division was supposed to be temporary, it became permanent once the conflict between this two countries escalated.

The unexpected Division of Germany can be used to test whether the structural model can capture the reaction of the economy to this Division shock, that exogenously changed the Market Access and Centrality of all West German districts<sup>41</sup>.

I perform two quantitative tests exploiting the unexpected Division of Germany. First, I compare the district-level population change between 1950 and 1974 in the data with the model's prediction. Second, I compare the change in domestic trade flows across German states between 1950 and 1974. Notice that both these tests assess the performance of the model to make out-of-sample predictions since the only data that has been used in the calibration of the model is pre-Division variables. In this exercise, I simulate the Division of Germany in the calibrated model by assuming that trade costs between East Germany and West Germany became prohibitive.

**Population changes** The first test is to simulate the Division and predict the reallocation of population in West Germany in 1974 relative to 1950. To do this, I simulate the 1974 equilibrium population allocation using as input the observed 1974 highway network and I assume the measure of workers in the economy grows up to the 1974 population level. To proxy for the effect of the Division I compare the change in log-population of different districts relative to their proximity to

---

<sup>41</sup>Redding and Sturm (2008) show that an economic geography model like the one I use in this paper can successfully capture the population response to the Division shock of the 100 largest West German cities. I do a similar exercise including all districts and I extend the analysis to trade flows



the new border, following [Redding and Sturm \(2008\)](#):

$$\Delta \ln(pop)_i = \alpha + \beta \text{dist2 Border}_i + e_i \quad (20)$$

where  $i$  is district and  $\Delta \ln(pop)_i = \ln(pop_{1974}) - \ln(pop_{1950})$ . Table 2 reports the results using the data and the model simulation results. Comparing column 1 (data) with column 2 (simulated data) we can see that the model captures the negative effect of the border shock on population. According to my estimation, a district 100 kilometres further away from the border benefited from an increase in population (of 10% according to the data,  $\beta = 0.001$ ) and that this pattern is also captured in the model (increase of 22%). Columns 3 and 4 repeat the estimation for large cities while columns 5 and 6 display the result for medium to small sized districts. As we can see, the model predicts better the response to the shock observed in large cities while it overpredicts the population response in small and medium-sized districts.

Table 2: Out-of-sample test: Division shock on Population

<i>Dep.Var = <math>\Delta \ln(pop)_{1974,1950}</math></i>	All micro-regions		Large regions		Medium-Small regions	
	Data	Simulation	Data	Simulation	Data	Simulation
Dist to Border (km)	0.0011*** (0.0001)	0.0023*** (0.0003)	0.0011*** (0.0003)	0.0016** (0.0007)	0.0011*** (0.0001)	0.0022*** (0.0002)
Constant	0.0035 (0.0231)	-0.5517*** (0.0480)	0.0718 (0.0477)	-0.0446 (0.1268)	-0.0161 (0.0260)	-0.6942*** (0.0351)
Observations	252	252	70	70	182	182
$R^2$	0.220	0.163	0.189	0.068	0.226	0.275

**Notes:** Robust HAC standard errors, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Large micro-regions are micro-regions with more than 200,000 inhabitants, while the remaining regions are defined as small-medium. This threshold is chosen taking the mean population and adding half a standard deviation.

**Changes in trade flows** The second test I conduct is to compare the predicted change in domestic trade flows between 1960 and 1989 with the changes in the data. This test seeks to show the validity of the calibration of the model relative to the effect of highway construction. The goal is to quantify whether the change in highway construction observed in the data during the decades after Division can capture the change in aggregate trade flows. Because of lack of inter-state bilateral data for before 1960 I focus on the decades after the Division. To do this I compute trade flows between west German states given the highway network in 1960 and then recompute the trade flows for the highway network of 1989.

The change in trade flows is computed as the growth rate of trade flows across German states (log-change)<sup>42</sup>. To assess the performance of the model in capturing changes in domestic trade flows, I compare the data with a model simulation. I use the model to predict the change in trade flows between 1960 and 1980, by computing trade flows after the Division (1960) and trade flows just before reunification. The before-reunification counterfactual is calculated by feeding into the model the 1980 population and the changes in highway construction observed until then. Table 3 shows the reduced form relation between log-changes in trade flows and changes in transport costs. As we can see, the model is able to capture remarkably well the response of trade flows to reductions in transport costs when we account for the change in highways (column (1) vs column (2)). According to these results, a pair of states that benefited from a reduction in the ad-valorem transport cost similar to the mean (-1), saw an increase in trade flows of 19% both in the data and in the model.

Table 3: Out-of-sample Test: Change in trade flows 1950 to 1980

Dep. Var: $\Delta \log(Trade_{i,j})$	Data	Simulation
	(1)	(2)
Change in Transport costs (1980-1950)	-0.195*** (0.0542)	-0.193*** (0.0582)
Constant	0.714*** (0.0597)	0.156** (0.0676)
Obs.	90	90
R-Squared	0.117	0.0911
Mean Change	-0.995	
St. Dev Change	0.51	

**Notes:** Robust HAC standard errors, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. The Change in Transport costs is computed as the change in ad valorem transport costs from district to district, for the transport network in 1950 and the network in 1980. This variable is always negative going from 0 to -2. The changes in transport costs are aggregated by taking simple means to compute the state-to-state change in transport costs. The Data variable is log-change in tons shipped across each pair of states. The Model simulations use the log-change in nominal value of state-to-state trade.

Finally, I show that the model with infrastructure explains a larger part of the change in transport costs than other alternative counterfactuals. I consider two alternative simulations. In the first one I

<sup>42</sup>The data is in tons while the simulated data from the model is in nominal value of flows

only consider the change in population, from 1960 to 1980 levels, while keeping infrastructure fixed as it was in 1960. In the second additional counterfactual I allow for population change and I keep the infrastructure fixed as in 1960 but I allow productivity to change so that the 1980 population distribution is perfectly rationalised. To show the performance of the three counterfactuals I plot the trade share changes in the data over the simulated trade changes. Figures A.5 and A.6 in the Appendix confirm the good performance of the model with changing infrastructure compared to the other two counterfactuals. The model with improvements in highway construction explains 12% of the change in trade flows observed in the data, while aiming at explaining these changes with no change in infrastructure or re-calibrating the district-level productivities is not possible. In both alternative counterfactuals the correlation between the measures is negative.

These two additional tests show that the static model I build in section 3 performs strikingly well in predicting long-term changes in population and trade flows. Thus, the ability of the model to predict a large part of the evolution of population and trade flows that takes place over a twenty-five year period gives a lot of confidence about the quantification of the model.

## 5 RESULTS: EXPLAINING THE HIGHWAY NETWORK

In this section I examine whether the calibrated quantitative framework presented in the last two sections can explain the level and changes observed in the highway network. I start by assessing the validity of the model to explain the level of highway investments across districts observed in the 1938 prewar Highway Plan (cross-sectional variation). Then, I test whether the model can also account for the changes in highway construction, exploiting the large-scale shock to economic fundamentals caused by the Division of Germany (time-variation).

### 5.1 OPTIMAL HIGHWAY NETWORK

In this section I use the model to compute the optimal infrastructure network given the German geography before the Division. The model developed in section 3 embeds an endogenous choice of infrastructure in a standard spatial equilibrium framework. To solve for the optimal network I recompute the initial trade costs matrix to assume no highway link has been built yet. In addition I calibrate the network-specific parameters of the model  $\{\gamma, Z, c_i\}$ .

**Estimation of Infrastructure-related parameters** The three parameters specific to my model that are crucial for the choice of infrastructure are  $\gamma$ , the returns to infrastructure investments,  $Z$ , the government's budget to invest on infrastructure and  $\{c_i\}$ , the district specific marginal construction cost. Recall that the budget constraint of the government is:

$$\sum_{i=1 \dots N} c_i \phi_i \leq Z, \quad (21)$$

where  $\{\phi_i\}$  is the vector of infrastructure investment allocations. Because the initial underlying grid is constructed from the existing highways and roads in Germany these links will already be, to some extent, equally easy to build on. Thus, I choose  $c_i = c, \forall i$  to simplify the computation problem. However, the ruggedness of the terrain or the existence of rivers could be introduced easily in the problem.

I discipline the two remaining parameters  $\{\gamma, Z\}$  using the design of the 1934 highway Plan. The parameter  $\gamma$ , the returns on infrastructure investments, determines whether infrastructure investments have increasing or decreasing returns. Therefore, this parameter will shape how concentrated are investments at the district level. I estimate  $\gamma$  to bring the degree of concentration of investments in the model as close as the concentration in the 1934 Plan. As a measure of concentration of investments I use the skewness of the distribution of highway kilometres in the 1934 highway plan. I estimate this parameter using Simulated Method of Moments (SMM) on a simulated 50-district economy where I discipline the productivity distribution using random draws from a distribution similar to the calibrated productivities in the previous section. This estimation yields parameter  $\gamma = 0.84$ . Further details are provided in section D of the Appendix.

To calibrate the budget of the government,  $Z$ , I use the share of highway kilometres by district allocated in the 1934 Plan. I compute the average share of kilometres in the data by district  $\bar{h} = 2.8$  and set  $Z = (\bar{h}) \times N$  so that the average expenditure in the model matches the average kilometres by district in the 1934 highway Plan.  $N$  is the number of districts,  $N = 395$ .

Finally, I impose  $\phi_i \geq 1$  to ensure that the government is constrained by the original network and transport costs can only decrease with the choice of infrastructure. This also ensures that infrastructure that is given cannot be disinvested. I adjust the budget to account for the cost imposed by this lower bound restriction.

Given the productivity distribution, the initial transport network and transport costs and the calibrated and estimated structural parameters, I compute the infrastructure allocation that maximises aggregate welfare. The solution to the Government's problem is a 395 vector of the optimal district

level investments that I can compare to the 1934 government plan.

**Solution method** Given the parameter values, the underlying transport network and the initial transport costs, I solve for the infrastructure allocation that maximises expected utility. The solution will be a vector of 395 infrastructure investments representing the spatial pattern of infrastructure investments.

The model does not feature congestion costs because transport costs are independent of the quantity shipped ( $\frac{\partial T_{i,j}}{\partial X_{ij}} = 0$ ). This choice simplifies the solution method because given the network and the investment vector I can compute transport costs independently of the equilibrium allocation. However, the lack of congestion makes the government's problem not globally convex.<sup>43</sup> The short-come of modelling transport costs as constant on the quantity shipped (weakly convex) is that I cannot prove that the solution I find is the global optimum of the problem. In my set-up this is not a concern. The local optimum will be the best possible deviation from the initial network. This solution coincides with the problem the government has to solve: how to allocate limited resources to upgrade the highway network. On the contrary, the global optimum may be very far from the initial network and require a much more significant investment. Even without congestion the spatial problem of the economy is convex and features a unique and stable equilibrium (given the calibrated parameter values in the previous section). The transport costs are constant on the quantities traded and convex on the infrastructure investments which makes the problem (weakly) convex.

I can rewrite the problem as an optimisation of the expected utility in equilibrium over the infrastructure investment vector:

$$\text{Max}_{\{\phi_j\}_{j \in N}} EU^{eq} = f(w^{eq}(\Phi), P^{eq}(\Phi), r^{eq}(\Phi), L^{eq}(\Phi), T^{eq}(\Phi), \Phi), \quad (22)$$

where  $EU^{eq}$  is the equilibrium expected utility for a given infrastructure network and a given vector of infrastructure investments ( $\Phi$ ). The equilibrium expected utility is a function of the equilibrium wages,  $w^{eq}(\Phi)$ , equilibrium Price indices  $P^{eq}(\Phi)$ , equilibrium rents,  $r^{eq}(\Phi)$ , equilibrium population allocation,  $L^{eq}(\Phi)$  and the equilibrium transport cost matrix,  $T^{eq}(\Phi)$ . To solve for the infrastructure allocation, I start the problem from the initial transport network (assuming all roads are local), and I search for the infrastructure allocation that maximises expected utility using an interior-point algorithm.

---

<sup>43</sup>See [Fajgelbaum and Schaal \(2017\)](#) for a detailed discussion about convexity in spatial networks

## 5.2 EXPLAINING THE 1934 HIGHWAY PLAN

Figure 8 displays the model solution and compares it to the 1934 highway plan designed by the Nazi government. The shading represents the units of investment predicted by the model in each district converted to kilometres. In the above panel we can see the comparison between the model's solution and the 1934 plan. Figure A.7 in the Appendix displays the scatterplot of the district level kilometres planned and the district level predicted investments in the model.

The model is able to predict the main patterns of investment, such as the connections of the main German cities to Berlin ( West to East and South to East links). In the second panel we can observe the comparison between the model's prediction and the highway construction timing until right before Division. The model's predicted intensity of investment coincides with the highway construction timing: the darkest links in the model were the first ones to be built showing that the districts with a high marginal benefit of highway investments according to the models were the districts that received these investments earlier in time.

To test the predictive power of the model-generated network I run the following regression, at the district level:

$$H_{i,Plan} = \alpha + \beta_1 H_{i,OPT} + X' \phi + u_{i,t}, \quad (23)$$


where  $H_{i,Plan}$  is the total number of highway kilometres planned in district  $i$  and year 1934 and  $H_{i,OPT}$  is the number of kilometres allocated to district  $i$  in the optimal network before Division. The vector  $X'$  represents district-level controls, such as the distance to the border with Western Europe and the area of a district is squared kilometres. The coefficient of interest is  $\beta_1$ , that captures the relation between the model's predictions and the observed planned highway.

The identification of  $\beta_1$  could be biased if there are district-specific characteristics that affect population and other fundamentals as well as highway investments before Division. For example being close to a Port increases centrality of a region relative to the rest of the world and may have attracted population and trade as well as better infrastructure for decades. To control for some of the geography related time-invariant factors such as the ruggedness of terrain or proximity to the coast I run an additional specification that includes state-level fixed effects. It is clear that these controls will not dissipate the concern about the existence of omitted variables. Therefore, in the next section I exploit the change in economic fundamentals caused by the Division of Germany to address some of these concerns. Table 4 reports the results of this specification and table B.3 in the Appendix reports the results with standard errors clustered at Government regions (Regierungsbezirke).<sup>44</sup>

---

<sup>44</sup>Clustering the standard errors at the Government region seeks to control for spatial correlation of errors. There are

Figure 8: Simulated Infrastructure investments before the Division shock



Notes: The shading represents the investment allocation by district predicted by the model's solution. In the above panel the black lines represent the outline of the 1934 highway plan while in the below panel the black lines represent the highways built by 1946.



Table 4: 1934 Highway Plan : Cross-sectional variation

OUTCOME:	Highway km Plan (1)	Highway km Plan (2)	Highway km Plan (3)
Optimal highway km	0.4496*** (0.0568)	0.3685*** (0.0463)	0.3740*** (0.0489)
Distance to the Border		0.0516*** (0.0179)	0.0530** (0.0220)
Area (sqkm)		0.0118*** (0.0023)	0.0115*** (0.0025)
Constant	10.2302*** (1.2306)	-4.9318** (2.4166)	
State FE	No	No	Yes
Observations	331	330	330
$R^2$	0.265	0.371	0.664
Mean Highway km	20		
SD Highway km	24		

**Notes:** Robust HAC standard errors, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Results for the 331 German districts. The dependent variable is the number of highway kilometres in the 1934 Plan for each district. *Optimal highway km* is the highway kilometres predicted by the quantitative model. Distance to West Border measures the distance from the district centroid to the German border with a western European country.

My results show that the model-generated optimal network can explain 26.5% of the cross-sectional variation in planned highway across German districts. The coefficient  $\beta_1 = 0.44^{***}$  shows the close relation between the predicted investments and the observed investments. This coefficient is reduced when I control for the surface of the district and for the distance to the border to  $\beta_1 = 0.39^{***}$ . The reduction in the coefficient shows that controlling for geographic factors seems to be very important to assess the actual predictive power of the model. The coefficient remains stable after including state-level fixed effects specification in column 3. The coefficients on Area and Distance to Border are positive showing that the 1934 Highway Plan allocated more kilometres to larger districts and to districts further from the country's border.

There are a few discrepancies between model and data that may worsen the fit of the model. These discrepancies are clear when looking at the spatial distribution of investments in Figure 8, panel A. First, the model's measure of investment is smooth and thus the investment pattern is

30 Government regions.

more gradual than the highway pattern. Second, the model fails to capture the investments near the Eastern border of Germany. In 1934 the German territories extended further East than nowadays borders and, thus, in figure 8 we observe several several planned highways that crossed the border with Poland, (former) Czechoslovakia and Austria. Finally, we do see that the plan invests heavily in the centre of the country while the model's solution is more radial.

In all, these results suggest that a model with endogenous infrastructure investments performs well in predicting the cross-section of highway investments.

### 5.3 OPTIMAL HIGHWAY CONSTRUCTION AFTER THE DIVISION

As pointed out in the previous section, the existence of district-specific time-invariant factors such as geographical advantages or political importance poses a threat to identifying the predictive power of the model for the cross-section of highway investments. To address this threat, I exploit a large-scale exogenous shock to economic fundamentals: the German Division. This exogenous shock allows me to test the model's predictions about new highway construction after the Division shock. Focusing on the change in highway kilometres built between 1974 and 1950 controls for time-invariant characteristics affecting the stock of highways in that district. I will now explain how I simulate the Division shock and solve for the optimal highway construction, after the Division.

**Simulation of the Division shock** Following the Division of Germany in 1949, West Germany suffered an important shock to trade and population mobility coming from the establishment of the inner German border. To understand how this exogenous shock to economic fundamentals affected the highway network I use the calibrated version of my model explained in the previous subsection.

I simulate the Division shock by introducing a border friction,  $\{B_{ij}\}$ . The border friction multiplies the transport cost and is parametrised as follows:

$$B_{i,j} = \begin{cases} 1 & \text{if } i, j \text{ belong to West Germany} \\ > 1, & \text{in all other cases.} \end{cases} \quad (24)$$

In the numerical implementation I use the extreme assumption that  $B_{i,j} = \infty$  when  $i$  and  $j$  belong to different parts of Germany after the Division.

**Constrained choice of infrastructure** After Division the government's choice is restricted to upgrading the part of the network that remained in West Germany. The new government's problem is to upgrade the infrastructure in West Germany to maximise the aggregate welfare of West German districts.

One important constraint for the choice of the government is the existing highways that had been built between 1934 and 1950 (Figure 3). Recall that about one half of the six thousand kilometres outlined in the 1934 Highway plan had been built before the Division (two thousand kilometres were built in West Germany, while one thousand were built in East Germany). To capture this physical constraint I add to the government's problem explained in section 3 the following lower bound constraint:

$$\phi_j^{PostDivision} \geq \phi_j^{PreDivision}. \quad (25)$$

The addition of this constraint will allow us to compare the constrained solution in the model with the constrained solution in the data. Finally, I assume that all other structural parameters remain unchanged. In this assumption I follow Redding and Sturm (2008) that interpret the Division of Germany as mainly a trade and labour shock. They provide strong evidence showing that other factors such trends in specialisation, the integration with the Western trade partners or the fear of further armed conflict were important but to a much lesser extent compared to the trade shock. Table B.2 in the Appendix summarises the calibrated and estimated values for all parameters.


**Optimal infrastructure after the Division** Figure 9 plots the spatial distribution of highway investments predicted by the model after simulating the Division of Germany. The shades represent the investment allocation predicted by the model, with darker shades representing higher investments. This optimal (constrained) network serves as a benchmark of the highway investments we would observe if the government's choice was driven by the change in economic fundamentals that followed the German Division. The additional predicted investments, subtracting the built by highways (initial constraint), is the new highway construction.

As documented in section 2, about half of the new construction deviated from the original 1934 Highway plan. I compare the predictions of the model relative to the change in highways between 1950 and 1974 to show that the model can account for the quantitative changes in the data.

## 5.4 EXPLAINING NEW HIGHWAY CONSTRUCTION

An empirical challenge that we face in comparing the total amount of infrastructure investments across districts is the existence of district-specific characteristics affecting the economic fundamentals of that district, such as population or trade and the highway stock in the district. For example, districts in the mountains could have less population and trade less goods because of their remoteness and, at the same time, receive less highway construction because of the low demand or high construction cost. Thus, the elevation of the terrain can create a positive correlation between economic fundamentals and highway construction. In the cross-section the model and the data would coincide in choosing a small number of kilometres of highway in such a district but this coincidence would come from the geographical disadvantage rather than from the relation between highway investments and economic fundamentals. These type of factors would induce a bias in the estimation of the predictive power of the model.

Figure 9: Simulated Infrastructure investments after the Division shock



Notes: The shading represents the investment allocation by district predicted by the model's solution.

A good solution in the presence of time-invariant characteristics is to perform the analysis

looking at changes in the variable of interest. Therefore, to test the strength of the model in predicting the change in highway construction I use the change in highway investments. As a measure of highway change I will use  $\Delta H_i = H_{i,1974} - H_{i,1950}$ , the change in highway kilometres in district  $i$  between 1974 and 1950. The model counterpart of this empirical measure will be the  $\Delta H_{OPT} = \Delta H_{Post}$ , the district-level highway kilometres allocated after the Division of Germany, from the remaining budget. This measure is the increase in highway construction on top of the already built highways that are included as a constraint for the government.

Figure A.8 in the Appendix plots the optimal change in highway construction as predicted by the model (above panel) and the observed change in highway construction between 1950 and 1974 in the data (lower panel).

To test the predictive power of the model I run the following regression, at the district level:

$$\Delta H_{i,74-50} = \gamma_1 \Delta H_{OPT} + v_{i,t}, \quad (26)$$

where  $i$  denotes districts. The outcome measure,  $\Delta H_{i,74-50}$  is the difference in highway kilometres in district  $i$  between 1974 and 1950. The main regressor  $\Delta H_{OPT}$  is the allocation of the additional highway kilometres in the model, subtracting the initial investments realised by 1950. Because this is a first-differences specification I do not include district geographical characteristics or state fixed effects. This specification tests whether the predicted changes in highway investments in the quantitative model can explain the changes in highway construction observed in the data. Notice that the model-generated changes are purely driven by the simulation of the Division shock, and therefore, only account for the economic factors affecting highway construction. The coefficient of interest is  $\gamma_1$  that identifies the relation between the predicted changes and the observed highway reaction in the data. The results are reported in Table 5. The results with standard errors clustered at the Government region level are reported in table B.4 in the Appendix.

The estimated coefficients show that the model is also successful in explaining the changes in highway construction. We can think of these changes as the innovations implemented after the Division shock. The predicted construction in the model explains 19% of the cross-district variation in highway changes (column 1) and has strong predictive power even controlling for distance to the border and the district's surface. I find that an increase of one kilometre in the model after Division predicts an increase of 0.32 kilometres in the data. In the last column I include allow for state-specific time-deviations ( with state fixed effects) and the relationship between the model predictions and the observed changes remains positive and very significant.

The fact that the coefficient is far from unity, that we would expect if the model and the data were perfectly aligned, just tells us that the model predicts a stronger reaction to the Division shock than the one observed in the data. This attenuated reaction could be driven by constraints or adjustment costs in the real world that are absent in the model. Furthermore, this estimated coefficient of 0.32 could be explained by the existence of other factors driving highway investments such as political interests.

Table 5: Change in highway construction

	$\Delta$ Kilometres (1974 – 1950) (1)	$\Delta$ Kilometres (1974 – 1950) (2)	$\Delta$ Kilometres (1974 – 1950) (3)
Optimal change km	0.4106*** (0.1106)	0.3630*** (0.0874)	0.3256*** (0.0944)
Distance to West Border		-0.0187 (0.0121)	-0.0215 (0.0159)
Area (sqkm)		0.0087*** (0.0033)	0.0099*** (0.0033)
Constant	7.1133*** (1.2372)	1.4553 (3.4040)	
State FE	No	No	Yes
Observations	258	258	258
$R^2$	0.188	0.244	0.478

**Notes:** Robust HAC standard errors, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Results for the 258 West German districts. The dependent variable is the change in highway kilometres between 1950, the end of the Division and 1974. *Optimal change km* is the predicted increase in highway kilometres simulated in the quantitative model. *highways built*. Distance to West Border measures the distance from the district centroid to the German border with a western European country.

## 5.5 DISCUSSION OF RESULTS

**Threats to Identification** Given the estimation strategy presented above, the main concern that should be addressed to identify the explanatory power of the model are changes in other factors, in addition to geography, happening right after the Division of Germany and affecting the returns to highway construction unevenly across the West German geography. Factors affecting all West

German regions simultaneously such as the re-construction of cities after the Second World War or the decline in the importance of the railway as the main mode of transport for freight should not bias the estimates presented in the previous subsection. As long as the effect is constant across all regions, these changes create a level effect that would be differenced out in the proposed estimation strategy.

However, changes affecting West German regions in an uneven way could bias the estimation of the predictive power of the model. One of such factors is the process of European integration during which tariffs to international trade were eliminated between Belgium, Italy, Luxembourg, Netherlands and West Germany. This process started with creation of the European Economic Community in 1957 with the Treaty of Rome. To account for this, I extend the model to allow for international trade with other West European countries and solve for the optimal highway construction with both domestic and international trade. The details about the introduction of international trade in the calibration of the model can be found in section D of the Appendix. Figure A.9 in the Appendix plots the optimal change in highway construction as predicted by the model with international trade (above panel) and the observed change in highway construction between 1950 and 1974 in the data (lower panel).

The results from the model extended with international trade are reported in Table B.5, counterpart of table 5. The optimal highway investment in the model still has good predictive for the actual change in highway construction but it predicts a smaller share of the variation in the data than the model without international trade (the R-squared of column 1 is 13.9% in the extended model compared to 18.8% in the baseline model). One explanation for why the model with international trade seems to be further away from the data could be that in the first years of the european integration process international trade was not so large in magnitude as a share of domestic activity. In the year 1982, around 85% of all tonnes-kilometres shipped in West Germany by road were domestic shipments while only 15% were cross-border (international) shipments. However, the political intention to integrate with other West European countries may explain a part of the shift of highway investments towards the Western border of Germany, even if the international trade magnitudes increased very gradually.

Additional factors that we could consider are changes in the industrial composition of West Germany or the shift of the capital from Berlin to Bonn. Extending the model to account for industrial policy or for the benefits of a change in the capital city goes beyond the scope of this paper. However, the interplay between infrastructure policy, industrial policy and the institutional setting is a promising avenue for future research. For example, Bai and Jia (2018) show how the



loss and gain of regional capital status in China was accompanied by upgrades in the transport network that resulted in a gain or loss of centrality of a given city in the transport network, creating a link between the political and the economic status of the city.

**Differences between model and data** In section 2, I documented that while the first two thousand kilometres of highway built in West Germany followed the 1934 Highway plan only half of the three thousand kilometres built after the Division were allocated as the original Plan. In this section we have seen that a quantitative model of endogenous infrastructure successfully explains a large part of the West German highway network post-Division as well as the allocation of new highways between 1950 and 1974. In this sub-section I will classify the observed new highway investments into kilometres predicted by the optimal network and kilometres included into the 1934 Plan. For each district I check what share of the constructed kilometres were planned and what share were predicted by the model. This classification will help us understand what part of the 1934 Plan completion is predicted by the model and what part of the new construction is also consistent with the model. Table 6 reports the results of this exercise. This classification suggests that 48% of the new highways built according to the 1934 Highway Plan are optimal while 51% are not predicted by the model (Column 1). Besides, out of the new construction that deviated from the 1934 Highway Plan, column 2, 41% is optimal according to the model while 58% of the deviations are not explained by the model's optimal network. These numbers suggest that part of the Plan

Table 6: Share of newly built three thousand km

		Plan 1934 (% km)		
		(1)	(2)	
		Yes	No	<b>Total</b>
Optimal network(% km)	Yes	22.9	21.8	44.7
	No	24.3	31	55.3
<b>Total</b>		47.2	52.8	

completion was optimal and that half of the deviations from the Plan are actually predicted by the model. However, 31% of all new construction is unexplained and seems to be driven by other factors. In all, there was a large reshaping of highways and half of this reshaping was optimal according to my quantitative framework.

In the next session I quantify the economic impact of highway investments in two quantitative exercises. First I examine the gains from the partial reaction of the government to the shock,

comparing the welfare level for the observed highway network with the counterfactual of building the highway plan as it was designed in 1934. Second, I quantify the cost of the constraint imposed by the initial two-thousand kilometres built before the Division.

## **6 QUANTITATIVE EXERCISES: ECONOMIC IMPACT OF HIGHWAYS**

In this section, I quantify the aggregate gains of reshaping infrastructure as a response to economic fundamentals. To this end, I use the calibrated model to evaluate the welfare gains from reshaping infrastructure in different ways. First, I build the model's counterpart of the 1974 highway network and compute aggregate welfare using the structure of the model. Further details about the construction of the model counterpart 1974 network can be found in section [D](#) in the Appendix.

### **6.1 THE GAINS FROM RESHAPING INFRASTRUCTURE**

First, I compute the gains from the infrastructure reshaping undertaken by the German government. Recall that, given the economic fundamentals of 1934, the government would have built the 1934 Highway Plan. Thus, we can compute the gains from reshaping infrastructure by comparing how highways deviated from the Plan of 1934. For this counterfactual I build the model's counterpart of the 1934 highway plan. The results are reported in Panel A of Table [7](#). The government's reshaping of 1600 kilometres increased welfare by 1.08% relative to building the 1934 Highway Plan with no adjustments. The gains in terms of real income were of 1.35% compared to the level under the construction of the 1934 Highway Plan. Panel A shows that the gains in Welfare and income are driven by a reduction in the Price level and lower average Transport costs. It is important to notice that these gains are annual increases in aggregate outcomes, that West German would enjoy every year. Furthermore these gains come purely from the reallocation of the highway network keeping the budget fixed.

Second, I compute the gains from reshaping infrastructure as predicted by the model. This counterfactual represents the case of full reaction to the Division, given the highway built by the year 1949. The results are presented in Panel B. Building the optimal infrastructure predicted by the model would increase welfare by 7.9% relative to the welfare level obtained from the observed highways in 1974, and real income would have increased by 7.35%. These results, however, should be taken with caution because there may be additional components of welfare that are missing from my model. Therefore, the estimated increase in welfare of 8.67% is an upper bound that does not

Table 7: Effect of reshaping the highway network

	Compared to observed highways (1974)
<b>Panel A: 1934 Highway Plan</b>	<b>% Change</b>
<b>Welfare</b>	<b>-1.088</b>
Real Income	-1.354
Average Rent	-0.302
Average Price index	0.264
Average Transport cost	2.822
<b>Panel A: Constrained optimal network</b>	
<b>Welfare</b>	<b>7.512</b>
Real Income	5.659
Average Rent	-1.736
Average Price index	-10.26
Average Transport cost	-17.75

consider all absent elements from the model.

## 6.2 THE COST OF PATH-DEPENDENCE

Finally, this set-up allows me to quantify the aggregate cost of path-dependence. The construction of the German highway network started in the 1930s when the Division could not be imagined. In this additional exercise I compare the welfare level of the optimal constrained network, that includes the 2000 initial highway kilometres, with the unconstrained network. Panel C of Table 8 reports the Welfare and real income level of building the unconstrained network. The difference between Panel B and Panel C tells us about the cost of path-dependence. My counterfactual exercise suggests that the construction of 2000 kilometres before the Division of German had a cost of 1.6% of the 1974 Welfare level and of 1.675% in terms of 1974 real income. The cost comes from the sunk nature of the initial 2000 highway kilometres. However, it is important to notice that these quantification is relevant for West Germany and does not take into account the re-unification of Germany in 1989.

Table 8: The cost of path-dependence

Compared to observed (1974)

**Panel A: Constrained optimal network**

<b>Welfare</b>	<b>7.512</b>
Real Income	5.659

**Panel B: Unconstrained optimal network**

<b>Welfare</b>	<b>9.119</b>
Real Income	7.344

**7 CONCLUSION**

Understanding the economic effects of transport infrastructure investments is essential for policy-makers to take informed decisions about expensive and persistent investments. However, the endogeneity between infrastructure investments and economic outcomes is an important challenge to common empirical and quantitative methods. The reduced-form approach of exploiting exogenous variation in infrastructure construction is appealing to estimate local effects but cannot be employed to quantify the aggregate effects of infrastructure projects.

In this paper I take a structural approach to this problem by building a quantitative spatial trade framework with endogenous infrastructure investments. In the model, a government decides how to allocate investments across regions to maximise aggregate welfare. This framework allows me to characterise the optimal infrastructure network, calibrate the model using historical data and estimate the key structural parameter, the returns to highway investments, taking into account the endogeneity of infrastructure.

I use the calibrated model to study the economic impact of highway construction in the context of the Division of Germany. The Division of Germany provides an ideal set-up to test the ability of the model to predict highway construction after the Division and to estimate the gains from reshaping the network in response to the shock. Using newly digitised data, I document that half of the highway kilometres built after the Division, between 1950 and 1974, deviated from the initial prewar Highway Plan. I find that the reallocation of these investments (one third of the network) led to increases of 1.08% of welfare and 0.64% of real income annually, keeping the budget fixed. In the extended model with international trade, the gains are even larger: the new 1974 highway network

increased welfare by 1.8% and real income by 2%. Finally, I measure the cost of path-dependence and show that reshaping the full network could have increased welfare by 1.62% and real income by 1.5%.

The magnitude of these reshaping gains is large relative to current estimates in the literature. For example [Asturias et al. \(2014\)](#) find gains of 2.7% of real income from the construction of the Indian highway network of almost six thousand kilometres and [Fajgelbaum and Schaal \(2017\)](#) find welfare gains of between 0.9% and 1.5% from reshaping the totality of nowadays Germany's highway network.

There are two main differences between my paper and other studies. First, I examine the gains from reacting to a change in economic fundamentals. My findings suggest that the economic impact of infrastructure is larger in this case than when evaluating the impact of infrastructure investments in the presence of stable economic fundamentals. Second, my results are estimated from the construction of the initial part of the highway network. It is likely that returns to investments decrease as infrastructure is accumulated. However, these differences make my results particularly relevant for countries that are going through structural reforms or large policy changes and for countries building the first stages of the infrastructure network. Making use of a quantitative framework like the one developed in this paper can help governments quantify the expected gains across different investment allocations.

There are several related questions that need to be addressed in relation with infrastructure choice more generally. First, what other factors shape the investment decisions of governments? The importance of political factors can be estimated with a framework of endogenous infrastructure that includes economic fundamentals and political incentives. Second, how does the optimal network decision change with the introduction of additional mechanisms such as intermediate input usage, heterogeneous agents or international trade? Finally, what is the optimal infrastructure policy to address different spatial settings such as fast-urbanising countries or deeply integrated free-trade areas? Expanding this framework in the mentioned directions is left for future research.

## REFERENCES

- Ahlfeldt, G. M., S. J. Redding, D. M. Sturm, and N. Wolf (2018). The economics of density: Evidence from the Berlin Wall. *Econometrica* 83(6), 2127–2189.
- Alder, S. (2014). Chinese roads in India: The effect of transport infrastructure on economic development. *Work. Pap., Univ. North Carolina, Chapel Hill*.
- Alder, S. and I. Kondo (2018). Political Distortions and Infrastructure Networks in China: A Quantitative Spatial Equilibrium Analysis. In *2018 Meeting Papers*. Society for Economic Dynamics.
- Allen, T. and C. Arkolakis (2014, August). Trade and the Topography of the Spatial Economy. *The Quarterly Journal of Economics* 129(3), 1085–1140.
- Allen, T. and C. Arkolakis (2017). The welfare effects of transportation infrastructure improvements. *Working Paper*.
- Allen, T., C. Arkolakis, and Y. Takahashi (2014). Universal gravity. *Working Paper*.
- Asturias, J., M. García-Santana, and R. Ramos (2014). Competition and the welfare gains from transportation infrastructure: Evidence from the Golden Quadrilateral of India. *Work. Pap., Georgetown Univ., Washington, DC*.
- Atack, J., M. R. Haines, and R. A. Margo (2008, October). Railroads and the Rise of the Factory: Evidence for the United States, 1850-70. Working Paper 14410, National Bureau of Economic Research.
- Bai, Y. and R. Jia (2018). The Oriental City: Political Hierarchy and Regional Development in China, AD1000-2000. *Working Paper*.
- Balboni, C. (2017). *Living on the Edge: Infrastructure Investments and the Persistence of Coastal Cities*. manuscript.
- Banerjee, A., E. Duflo, and N. Qian (2012). On the road: Access to transportation infrastructure and economic growth in China. Technical report, National Bureau of Economic Research.
- Baum-Snow, N. (2007). Did highways cause suburbanization? *The Quarterly Journal of Economics* 122(2), 775–805.
- Baum-Snow, N., L. Brandt, J. V. Henderson, M. A. Turner, and Q. Zhang (2017). Roads, railroads, and decentralization of Chinese cities. *Review of Economics and Statistics* 99(3), 435–448.
- Baum-Snow, N., J. V. Henderson, M. Turner, L. Brandt, and Q. Zhang (2015). Transport Infrastructure, Urban Growth and Market Access in China.
- Broda, C., N. Limao, and D. E. Weinstein (2008, December). Optimal Tariffs and Market Power: The Evidence. *American Economic Review* 98(5), 2032–2065.

- Brulhart, M., C. Carrere, and F. Trionfetti (2012). How wages and employment adjust to trade liberalization: Quasi-experimental evidence from Austria. *Journal of International Economics* 86(1), 68–81.
- Combes, P.-P. and M. Lafourcade (2005). Transport costs: measures, determinants, and regional policy implications for France. *Journal of Economic Geography* 5(3), 319–349.
- Davis, D. R. and D. E. Weinstein (2002, December). Bones, Bombs, and Break Points: The Geography of Economic Activity. *American Economic Review* 92(5), 1269–1289.
- Disdier, A.-C. and K. Head (2008, February). The Puzzling Persistence of the Distance Effect on Bilateral Trade. *Review of Economics and Statistics* 90(1), 37–48.
- Donaldson, D. (2018). Railroads of the Raj: Estimating the impact of transportation infrastructure. *American Economic Review* 108(4-5), 899–934.
- Donaldson, D. and R. Hornbeck (2016, May). Railroads and American Economic Growth: A “Market Access” Approach. *The Quarterly Journal of Economics* 131(2), 799–858.
- Duranton, G., P. M. Morrow, and M. A. Turner (2014, April). Roads and Trade: Evidence from the US. *Review of Economic Studies* 81(2), 681–724.
- Duranton, G. and M. A. Turner (2012, October). Urban Growth and Transportation. *Review of Economic Studies* 79(4), 1407–1440.
- Eaton, J. and S. Kortum (2002, September). Technology, Geography, and Trade. *Econometrica* 70(5), 1741–1779.
- Faber, B. (2014, July). Trade Integration, Market Size, and Industrialization: Evidence from China’s National Trunk Highway System. *The Review of Economic Studies* 81(3), 1046–1070.
- Fajgelbaum, P. D. and E. Schaal (2017). Optimal transport networks in spatial equilibrium. Technical report, National Bureau of Economic Research.
- Felbermayr, G. J. and A. Tarasov (2015, November). Trade and the Spatial Distribution of Transport Infrastructure. SSRN Scholarly Paper ID 2706533, Social Science Research Network, Rochester, NY.
- Fogel, R. W. (1962). A Quantitative Approach to the Study of Railroads in American Economic Growth: A Report of Some Preliminary Findings. *The Journal of Economic History* 22(2), 163–197.
- Fretz, S., R. Parchet, and F. Robert-Nicoud (2017). Highways, Market Access, and Spatial Sorting.
- Gallen, T. and C. Winston (2018). Transportation Capital and its Effects on the US Economy: A General Equilibrium Approach.
- Garcia-Lopez, M.-a., A. Holl, and E. Viladecans-Marsal (2015). Suburbanization and highways in Spain when the Romans and the Bourbons still shape its cities. *Journal of Urban Economics* 85, 52–67.




- Ghani, E., A. G. Goswami, and W. R. Kerr (2016, March). Highway to Success: The Impact of the Golden Quadrilateral Project for the Location and Performance of Indian Manufacturing. *The Economic Journal* 126(591), 317–357.
- Heblich, S., S. J. Redding, and D. M. Sturm (2018). The Making of the Modern Metropolis: Evidence from London. Technical report, National Bureau of Economic Research.
- Krugman, P. (1980). Scale economies, product differentiation, and the pattern of trade. *The American Economic Review* 70(5), 950–959.
- Michaels, G. (2008). The Effect of Trade on the Demand for Skill: Evidence from the Interstate Highway System. *The Review of Economics and Statistics* 90(4), 683–701.
- Monte, F., S. J. Redding, and E. Rossi-Hansberg (2015). Commuting, migration and local employment elasticities. Technical report, National Bureau of Economic Research.
- Morten, M. and J. Oliveira (2018). The Effects of Roads on Trade and Migration: Evidence from a Planned Capital City. *NBER Working Paper* 22158.
- Möller, J. and M. Zierer (2018, January). Autobahns and jobs: A regional study using historical instrumental variables. *Journal of Urban Economics* 103, 18–33.
- Nagy, D. K. (2016). City location and economic development. *Princeton University, mimeograph*.
- Redding, S. and D. Sturm (2016). Estimating Neighborhood Effects: Evidence from War-time Destruction in London, draft. Technical report.
- Redding, S. J. (2016). Goods trade, factor mobility and welfare. *Journal of International Economics* 101, 148–167.
- Redding, S. J. and E. Rossi-Hansberg (2017). Quantitative spatial economics. *Annual Review of Economics* 9, 21–58.
- Redding, S. J. and D. M. Sturm (2008, December). The Costs of Remoteness: Evidence from German Division and Reunification. *American Economic Review* 98(5), 1766–1797.
- Redding, S. J. and M. A. Turner (2015). Transportation costs and the spatial organization of economic activity. In *Handbook of regional and urban economics*, Volume 5, pp. 1339–1398. Elsevier.
- Tsivanidis, N. (2018). The Aggregate and Distributional Effects of Urban Transit Infrastructure: Evidence from Bogotá’s TransMilenio. Technical report, Working Paper, University of Chicago Booth School of Business.
- Voigtländer, N. and H.-J. Voth (2015, October). Highway to Hitler. SSRN Scholarly Paper ID 2684404, Social Science Research Network, Rochester, NY.
- Wolf, N. (2009). Was Germany ever united? Evidence from intra-and international trade, 1885–1933. *The Journal of Economic History* 69(3), 846–881.

Zeller, T. and T. Dunlap (2010). *Driving Germany: The Landscape of the German Autobahn, 1930-1970* (1 ed.). Berghahn Books.


## A ADDITIONAL FIGURES

Figure A.1: Goods traffic by transport mode



Note: Values are for West Germany, collected by author from Statistical Yearbook of the Bundesrepublik, multiple years. Values for missing years are interpolated.

Figure A.2: Evolution of the German highway network



**Notes:** German highway data collected from Michelin Atlases of the years 1950, 1964, 1975, 1980 and 1989 digitised by the author.

Figure A.3: Construction and Planning of the Highway Network






Figure A.4: Representative transport network and corresponding graph



**Notes:** Panel A shows the roads that I choose to build the grid. This network connects all districts while the number of links remains small. Highways are the darkest lines, federal highways are the intermediate lines, and local roads are the thinnest lines. Panel B shows the discretisation of the network in panel A. Each dot represents a vertex, and each line represents an edge of the network.

Figure A.5: Model fit - Change trade flows over change in Infrastructure




### Effects of Change in Infrastructure

1966-1989 (in percentage)


Notes: The figure plots the observed change in shipments by road (in percentage) between each West German state pairs. Within state shipments are also included. Each dot is one state-pair.

Figure A.6: Model fit - Changes in trade flows (Alternative explanatory variable)



### Panel A: No change in highways

1966-1989 (in percentage)




### Panel B: Change in Productivities

1966-1989 (in percentage)


Notes: Both panels plot the observed change in shipments by road (in percentage) between each West German state pairs. Within state shipments are also included. Each dot is one state-pair.



Figure A.7: Simulated Infrastructure investments before the Division shock




**A) Correlation: 0.55**




**B) Correlation: 0.62**

**Notes:** Each dot represents one district. Both variables are measured in kilometres. The model-predicted investment has been normalised to be measured in kilometres. The upper panel displays the correlation between the Planned highways by district and the model predicted investment by district before Division. The lower panel displays the correlation between the number highway of kilometres in 1974 by district and the model predicted investment by district after Division. Districts located in the eastern border of the former German territories (on the border with Poland, Austria and Czechoslovakia). In panel B each observation is weighted by its area in square kilometres, the size of each circle is proportional to the weight of the surface of the district.

Figure A.8: Simulated Infrastructure investments after Division - Baseline




A) Model (Baseline)




B) Data (1974-1950)

**Notes:** The shading represents the change in investment allocation by district. The upper panel displays the changes predicted by the model while the lower panel represents the highway changes observed in the data (new highway construction between 1950 and 1974). Darker shades indicate higher highway construction.

Figure A.9: Simulated Infrastructure investments after Division - International trade



**A) Model (International trade)**



**B) Data (1974-1950)**

**Notes:** The shading represents the change in investment allocation by district. The upper panel displays the changes predicted by the model while the lower panel represents the highway changes observed in the data (new highway construction between 1950 and 1974). Darker shades indicate higher highway construction.

## B ADDITIONAL TABLES

Table B.1: Elasticity of trade flows to distance

Outcome: Log (Road shipments in tons)	(1)	(2)
	DATA 1938	MODEL ( $\sigma = 7$ )
Log(Distance)	-2.8674*** (0.2381)	-2.7808*** (0.3762)
Constant	28.7349*** (1.4651)	35.9057*** (2.3151)
Observations	13	13
$R^2$	0.929	0.832

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

**Notes:** Standard errors, are in parentheses. Regression run using total tons shipped by truck by manufacturing firms over 13 distance brackets ( from less than 50km to more than 1000km). Model regression using simulated trade data given parameter values and infrastructure in 1938 aggregated over the same distance brackets

Table B.2: Choice of Parameters

Parameter	Description	Source/Target	Value
<b>From Literature</b>			
$\varepsilon$	Shape parameter of Fréchet	Monte et al. (2015)	3
$\alpha$	Share of tradables	Redding, Sturm (2008)	0.7
<b>1938 Germany</b>			
$\{A_i\}$	Productivity parameter	Match population 1938	
$\{H_i\}$	Land supply	Area in sqkm	
$\sigma$	Elasticity of substitution	Trade elasticity 1938	7
<b>Infrastructure</b>			
$\gamma$	Returns to highway investments	Concentration in 1934 Plan	0.84
Z	Budget of Government	Average km in Plan	1.5*regions
c	Marginal cost	-	1
<b>Division Shock</b>			
$B_{i,j}$	Cost of Border East Ger.-West Ger.	Prohibitive trade costs	$\infty$

**Notes:** Further details about the calibration and estimation of the parameters can be found in section 4 in the main text and in section D of this Appendix.

Table B.3: 1934 Highway Plan : Cross-sectional variation

OUTCOME:	Highway km Plan (1)	Highway km Plan (2)	Highway km Plan (3)
Optimal highway km	0.4496*** (0.0675)	0.3213*** (0.0566)	0.3285*** (0.0583)
Pop 1938		3.8656** (1.6137)	4.6497* (2.3317)
Distance to the Border		0.0576** (0.0244)	0.0578** (0.0241)
Elevation		-0.0033 (0.0080)	-0.0169 (0.0104)
Area (sqkm)		0.0115*** (0.0027)	0.0117*** (0.0021)
Constant	10.2302*** (1.7620)	-48.3552** (20.3512)	-44.0867 (34.0212)
State FE	No	No	Yes
Observations	331	323	323
$R^2$	0.265	0.381	0.451
Mean Highway km	20		
SD Highway km	24		

**Notes:** Standard errors clustered at Government Region level, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Results for the 331 German districts. The dependent variable is the number of highway kilometres in the 1934 Plan for each district. *Optimal highway km* is the highway kilometres predicted by the quantitative model. Distance to West Border measures the distance from the district centroid to the German border with a western European country.

Table B.4: Change in highway construction

	$\Delta$ Kilometres (1974 – 1950) (1)	$\Delta$ Kilometres (1974 – 1950) (2)	$\Delta$ Kilometres (1974 – 1950) (3)
Optimal change in Kilometres	0.4101*** (0.1180)	0.3628*** (0.0896)	0.3295*** (0.1019)
Distance to West Border		-0.0184 (0.0132)	-0.0196 (0.0199)
Area (sqkm)		0.0087*** (0.0028)	0.0096*** (0.0028)
Constant	7.1523*** (1.7108)	1.4961 (3.7236)	
State FE	No	No	Yes
Observations	258	258	258
$R^2$	0.188	0.243	0.475

**Notes:** Standard errors clustered at Government Region level, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Results for the 258 West German districts. The dependent variable is the change in highway kilometres between 1950, the end of the Division and 1974. *Optimal change km* is the predicted increase in highway kilometres simulated in the quantitative model. highways built. Distance to West Border measures the distance from the district centroid to the German border with a western European country.



Table B.5: Change in highway construction: Model with International Trade

	$\Delta$ Kilometres (1974 – 1950) (1)	$\Delta$ Kilometres (1974 – 1950) (2)	$\Delta$ Kilometres (1974 – 1950) (3)
Optimal change in km	0.3352*** (0.0875)	0.2026*** (0.0551)	0.2065*** (0.0595)
Log Pop 1950		4.6325*** (1.7236)	4.3295** (1.9214)
Distance to West Border		-0.0263** (0.0112)	-0.0266** (0.0135)
Area (sqkm)		0.0038 (0.0026)	0.0043 (0.0026)
Elevation		-0.0022 (0.0037)	-0.0053 (0.0064)
Plan 1934 km		0.4118*** (0.0707)	0.4077*** (0.0743)
Constant	7.9858*** (1.0721)	-52.3630*** (20.1133)	
State FE	No	No	Yes
Observations	258	257	257
$R^2$	0.139	0.436	0.600

**Notes:** Robust HAC standard errors, are in parentheses.\* significant at 10%, \*\* significant at 5%, \*\*\* significant at 1%. Results for the 258 West German districts. The dependent variable is the change in highway kilometres between 1950, the end of the Division and 1974. *Optimal change km* is the predicted increase in highway kilometres simulated in the quantitative model. *highways built*. Distance to West Border measures the distance from the district centroid to the German border with a western European country.

## C THEORETICAL APPENDIX

### C.1 A MODEL OF TRADE WITH ENDOGENOUS INFRASTRUCTURE INVESTMENTS: NO HOUSING

In this section I describe in detail the model presented in section 3. The model features costly trade across many domestic districts,  $i = 1 \dots N$ , endowed with an exogenous productivity,  $A_i$ . There is a

measure  $L$  of workers that move across districts according to their own heterogeneous preferences. This model builds on the family of widely used quantitative spatial models reviewed by [Redding and Rossi-Hansberg \(2017\)](#) and is specially close to [Redding \(2016\)](#). The main contribution of my theoretical framework is to embed the spatial equilibrium framework in the decision of a Government whose goal is to choose the optimal infrastructure investments to maximise aggregate welfare. The consumption, production and location decisions of consumers and workers are standard. The model, however, features a realistic geography where transport costs are determined as the solution to the problem of shipping across a grid of districts at the minimum cost.

**Preferences** The preferences of each worker are given by two components. First, a heterogeneous preference taste ( $b$ ), that represents how much a given worker values a given location ([Redding \(2016\)](#)). Second, a consumption component ( $C$ ) that can be represented by a canonical CES demand system, with every agent choosing the level of consumption of each of the varieties available with a constant elasticity of substitution across varieties of  $\sigma$ . Specifically, the utility function of an agent  $\omega$  living in district  $n$  is given by:

$$U_n = b_n(\omega) \left( \frac{C_n}{\alpha} \right) \quad (27)$$

where  $C_n = \left[ \sum_j^N \sum_v^M c_{jn}(\nu)^{\frac{\sigma-1}{\sigma}} \right]^{\frac{\sigma}{\sigma-1}}$ , is the consumption basket chosen by workers living in district  $n$ ,  $c_{jn}(\nu)$  is the consumption of a worker that lives in district  $n$  of variety  $\nu$  produced in district  $j$ <sup>45</sup>.  $M$  is the number of available varieties in the economy. The price index associated with the tradable varieties aggregator  $C_n$  is  $P_n = \left[ \sum_j^N \sum_v^M p_{jn}(\nu)^{1-\sigma} \right]^{\frac{1}{1-\sigma}}$ , where  $p_{jn}(\nu)$  is the price in district  $n$  of variety  $\nu$  produced in district  $j$ . The taste component  $b_n(\omega)$  is an idiosyncratic taste preference. Each worker draws a vector of  $N$  realisations  $\{b_n(\omega)\}_{n=1 \dots N}$  from a Frechet distribution that governs the individual preferences for each district:

$$G_n(b) = [Pr(b_n(\omega) \leq b)] = e^{-b^{-\epsilon}} \quad (28)$$

where  $\epsilon$  is the shape parameter governing the dispersion of tastes across workers for each location. A large  $\epsilon$  implies a low dispersion (low standard deviation). Less dispersion means that the idiosyncratic preferences are more equal across districts for all workers. In this case a small difference across districts will trigger big movements in population. In the limit,  $\epsilon \rightarrow \infty$  all workers behave identically. They become indifferent between locations and the model collapses to the *perfectly mobile labour* case because all districts are perceived as equally desirable and tiny changes

---

<sup>45</sup>Notice that workers living in  $n$  face the same consumption prices and earn the same wage so they make the same consumption choices

in wages trigger large population reallocations. When  $\epsilon \rightarrow 1$ , highest dispersion, workers are very heterogeneous in their taste. This means that large differences in district-level outcomes are needed to make workers move from their preferred choices. In this type of models the labour supply in a district is upward slopping in the wage.

To keep the number of parameters of the model low and due to data limitations I abstract from consumption of housing in the model. The existence of heterogenous preferences will act as a dispersion force through wages and, under certain parameter values, the existence of the equilibrium will be unique and stable.

**Production** Production uses labour as only factor of production, happens within firms and takes the form of monopolistic competition. There is a fixed cost to pay to start production,  $F$ , but once a firm enters the market it will produce a differentiated variety. The existence of the fixed cost and free entry ensures that each variety will only be produced by one firm. This means that each district will produce a specific and unique set of varieties that will equal the sum of varieties produced by the firms in that district. All varieties are produced with the same technology that is district-specific,  $A_i$ . From the firm's profit maximisation we know that a firm producing a variety  $v$  in location  $i$  will set a price  $p_i = \mu \frac{w_i}{A_i}$  where  $\mu$  is the mark-up charged over the price  $\mu = \frac{\sigma}{\sigma-1}$ . Notice that the price is constant across varieties produced in the same district. As we can see, each agent in the economy is endowed with one unit of labor that is supplied inelastically to produce  $A_i$  units of the district-specific varieties. I assume there is only one sector in the whole economy. The existence of free entry in each location drives down profits to zero and will pin-down the size of a firm in each district:

$$q_i^F(v) = \frac{F * A_i}{(\mu - 1)} = A_i(\sigma - 1)F \quad (29)$$

As we can see more productive districts will have larger firms because they will be able to cover the fixed cost more easily. Given the scale of each firm and the local labour supply, the labour market clearing condition pins down the number of varieties (equal the number of firms) in each district:

$$M_i = \frac{L_i}{\sigma F} \quad (30)$$

Again, we see that larger districts will produce a larger number of varieties. Therefore, the productivity of a district determines the scale of its firms and the size of a district determines the number of varieties locally produced. Finally, we can re-write the optimal price index of tradables  $P_i$  in terms of the local price and the number of varieties produced in each district, taking into

account that all varieties in a given location have the same price and substituting the number of varieties in each district:

$$P_n = \frac{1}{\sigma F} \left[ \sum_j^N L_j p_{jn}^{1-\sigma} \right]^{\frac{1}{(1-\sigma)}} \quad (31)$$

The price index in a district will depend on the local prices of imported varieties with larger regions exporting a larger share and therefore having a higher weight on the price index.

**Location and Consumption choices** Given the specification of preferences, we can write the indirect utility function of worker  $\omega$  in district  $n$  as

$$v_n(\omega) = \frac{b_n(\omega)w_n}{P_n} \quad (32)$$

Since indirect utility is a monotonic function of the idiosyncratic preference draw, it has a Frechet distribution too:

$$G_n(u) = Pr[U_n \leq u] = e^{-\Psi_n u^\epsilon} \quad (33)$$

where  $\Psi_n = (\frac{v_n}{P_n})^\epsilon$ .  $G_n(u)$  is the distribution of indirect utility realisations in district  $n$ .

Each worker chooses the location that maximises her indirect utility. Using the properties of the Frechet distribution we find that the probability that a worker chooses to live in district  $n$ :

$$\pi_n = Pr[U_n \geq \max\{U_s; s \neq n\}] = \int_0^1 \underbrace{\prod_{s \neq n} [1 - G_n(U)]}_{Pr(U_s < u), s \neq i} \underbrace{dG_n(U)}_{\text{cdf } U_n} = \frac{(\frac{w_n}{P_n})^\epsilon}{\sum_k (\frac{w_k}{P_k})^\epsilon} \quad (34)$$

The fraction of workers that choose to live in district  $n$  coincides with the probability that any given worker chooses  $n$ :

$$L_n = \frac{(\frac{w_n}{P_n})^\epsilon}{\sum_{k=1}^N (w_k/P_k)^\epsilon} L \quad (35)$$

As we can see  $\epsilon$  is the elasticity of the labour share in any district to changes in real income in that district  $w_n/P_n$ . Workers are more likely to choose districts with a relatively high real income.

Consumption is determined by the CES preference structure over varieties. The demand for variety  $v$  produced in district  $i$  and consumed in district  $n$  is:

$$x_{i,n}(v) = \frac{p_{i,n}^{1-\sigma}}{P_n^{1-\sigma}} w_n L_n \quad (36)$$

where  $P_n = \frac{1}{\sigma F} (\sum_k L_k p_{k,n}^{1-\sigma})^{1/(1-\sigma)}$  is the price index of consumption goods in district  $n$  and  $w_n L_n$  is the total expenditure in district  $n$ . Because each district produces a different set of varieties, the demand in district  $n$  for goods produced in district  $i$  (import share) will be:

$$X_{i,n} = \frac{L_i}{\sigma F} \frac{p_{i,n}^{1-\sigma}}{P_n^{1-\sigma}} w_n L_n \quad (37)$$

A district will import less goods from more expensive destinations (high  $p_i$ ) and will import more goods from other districts, relative to domestic consumption, if it is more expensive (has a high Price index  $P_n$ ). The above expression displays the Home market effect from the Krugman (1980) model: A larger district (high population) will produced a larger share of varieties and therefore export larger shares to other districts (notice that trade share  $X_{in}$  is increasing in  $L_n$ ).

Finally, applying the same steps as before, we can compute the expected utility for each worker ex ante that is equal to the utility of the economy as a whole, ex post:

$$E(U) = \Gamma\left(\frac{\epsilon}{\epsilon-1}\right) \left( \sum_1^N (w_n / (P_n))^\epsilon \right)^{1/\epsilon} \quad (38)$$

**Geography** The set of  $N$  districts can be thought of as located in a two-dimensional grid where each square represents a different district and we let the population be concentrated in the centre of the square. A more complex geography will be introduced in the calibration exercise. I define the size of district  $i$ ,  $D_i$ , as the length of side of the square representing the region. We assume, as mentioned, that all the population is located in the centroid of the district and all the production happens there.

Given the dispersion of production and population across the grid, there are ad-valorem type of transport costs associated with the consumption of non-locally produced varieties. The price of variety  $i$  consumed in district  $n$  is given by:

$$p_{i,n} = p_i B_{i,n} T_{i,n}(D, \Phi) \quad (39)$$

The transport friction  $T_{i,n}(D, \Phi)$  depends on two variables:  $\{D\}$  and  $\{\Phi\}$ . The vector  $\{D\}$  represents the size of each district in geographical terms while  $\{\Phi\}$  represents the level of infrastructure in each district. Finally, the vector  $\{B\}_{i,n}$  denotes the border friction between districts  $i$  and  $n$  that will be

defined by:

$$B_{i,n} = \begin{cases} 1 & \text{if } i, n \text{ are within the same border} \\ > 1, & \text{if } i, n \text{ are separated by a border} \end{cases} \quad (40)$$

**Transport Costs** The transport cost that has to be paid to move a good produced in district  $i$  to be consumed in district  $n$  will be given by the minimum possible transport cost that can be realized when shipping between  $i$  and  $n$ . Therefore, the transport cost matrix will be the collection of the transport costs along the least cost path between each district pair. This set-up is similar to assuming the existence of some shadow transport sector that is driven by profit-maximization, and thus, ships goods at the minimum costs (see [Fajgelbaum and Schaal \(2017\)](#)). The transport cost minimization problem will consider both geography,  $D$ , that determines the distance that has to be covered in a given trip, and the quality of infrastructure,  $\Phi$ , that will determine how costly (fast) can we cover this distance. While geographic distances are exogenous, infrastructure is *endogenous*, and can be upgraded to reduce transport frictions. A further simplifying assumption I make is that the quality of infrastructure is homogeneous within a district<sup>46</sup>. These two variables, distance and infrastructure quality, define the cost of shipping some good across district  $i$  as follows:

$$\text{Cost of transiting}^i = \frac{D_i}{\phi_i^\gamma} \quad (41)$$

where I use  $\phi_i$  to denote the district-level infrastructure and  $\Phi$  to denote the vector of infrastructure allocations. I assume that  $\phi_j \geq 1$ , so that the transport cost cannot be larger than the geographical cost but will be always bounded above by the physical geography<sup>47</sup>. The elasticity of the ad-valorem transit cost to the infrastructure investments is denoted by  $\gamma$ , that is model-specific and I assume it to be  $\in (0, 1)$ . This restriction ensures that there are decreasing returns to infrastructure and that the marginal benefit of infrastructure investments is concave.

As we can see, a higher quality of infrastructure will reduce the size of a district in terms of the ad valorem cost that is incurred in the transit. The elasticity of the shipping cost across district  $i$  to a marginal change in the level of quality of infrastructure  $\Phi_i$  is  $-\gamma$ . In the quantitative exercise  $\{\Phi\}$  is the quality of the road (highway, state highway or local road) and will affect shipping cost because

<sup>46</sup>In the real world a district may have one very high quality highway and one very low quality road. Therefore, we may think of  $\phi_i$  as the average quality of the infrastructure stock in district  $i$ . [Fajgelbaum and Schaal \(2017\)](#) adopt the decision of defining the quality of infrastructure for every link but this implies solving the optimal investment for every link rather than keeping the district as the unit of analysis

<sup>47</sup>This is a very reasonable assumption in the context of land-shipping because there is always some residual way to go from one region to another even in the absence of roads (i.e. across the fields)

of the different maximum speeds at which each road can be transited.

**Optimal path matrix** The solution to the least cost path problem to connect each district-pair will depend on distance,  $D$ , and the quality of infrastructure,  $\Phi$ . For some given geography and a given level of infrastructure investment in each district this solution can be expressed using an optimal path matrix. This matrix indicates whether district  $i$  is a transit district for all the other district-pairs along their optimal cost path. It is similar to the *transition matrix* in the network literature as it indicates how to transition from one node of the network to any other. The element  $\Pi_{o,d}^i \in \Pi^i$  indicates whether district  $i$  is relevant for the determination of the cost of shipping from district  $o$  to district  $d$  and is defined as:

$$\Pi_{o,d}^i = \begin{cases} 1, & \text{if } i \text{ is a transit district in the path between } o \text{ and } d \\ 0, & \text{if } i \text{ is not a transit district in the path between } o \text{ and } d \end{cases} \quad (42)$$

I can now define the transport cost  $T_{o,d}$  between any two districts  $o$  and  $d$  as

$$T_{o,d} = \left[ \sum_i \Pi_{o,d}^i \frac{D_i}{\phi_i^\gamma} \right] \quad (43)$$

where  $\phi_i$  is the infrastructure level in district  $i$  and it reduces the travelling time across district  $i$  with an elasticity of  $-\gamma$ . This expression means that the cost of shipping a good from  $o$  to  $d$  will be the sum of the geographical distance scaled by the infrastructure quality of all the districts that have to be transited to reach destination  $d$  from origin  $o$ . Given that we have defined  $\{ \Pi^i \}$  as the optimal path matrix this implies that we can also express the transport friction between  $o$  and  $d$  as  $T_{o,d} = \min_k (T(p_{o,p}^k))$  where  $T(p_{o,p}^k)$  is the transport cost of shipping a good from  $o$  to  $d$  along path  $k$ .

Finally, I adopt a normalisation common to all trade models by assuming  $T_{i,i} = 1$ , equivalent to assuming free intra-district trade and normalising the cost of trading out of the district by the internal shipping cost.

## C.2 SPATIAL EQUILIBRIUM

The spatial equilibrium is given by the clearing of the goods market at the equilibrium wages and the clearing of the labour market so that the expected utility for all workers is equalized. The goods market clearing implies that the income of each district has to equalise the total exports of that

district (assuming trade is balanced):

$$w_i L_i = \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{w_i}{A_i} b_{i,j} T_{i,j} \right)^{1-\sigma} (P_j)^{\sigma-1} w_j L_j, \forall i \in N \quad (44)$$

where the Price index in each region will be:

$$P_i^{1-\sigma} = \sum_j \frac{L_j}{\sigma F} \left( \frac{\sigma}{\sigma-1} \frac{w_j}{A_j} b_{j,i} T_{j,i} \right)^{1-\sigma}, \forall i \in N \quad (45)$$

The utility equalisation condition will hold when the labour share in each district  $n$  is given by:

$$\frac{L_n}{L} = \frac{\left(\frac{w_n}{P_n}\right)^\epsilon}{\sum_{n=1}^N (w_n / (P_n))^\epsilon} \quad (46)$$

The labour market clearing implies that the sum of labour in each district will add up to the total number of workers:  $\sum_n \frac{L_n}{L} = 1$ . These conditions determine the equilibrium value of wages, labour shares and the equilibrium welfare given by expected utility  $E(U)$ , equation 38. As shown in [Allen and Arkolakis \(2014\)](#) the condition for the existence and uniqueness of the spatial equilibrium will hold if the elasticity of expected utility to the labour share in a district is negative, this is, if the dispersion forces are stronger than the agglomeration forces of the model. Specifically, the condition for existence and uniqueness of the equilibrium with imperfect mobility of labour is

$$\sigma \left( 1 - \frac{1}{1 + \frac{1}{\epsilon}} \right) > 1 \quad (47)$$

I calibrate the parameters so that the equilibrium is unique and stable.

## D QUANTIFICATION DETAILS

### D.1 QUANTIFICATION OF THE MODEL BEFORE DIVISION

**Initial transport network** We have 3 types of roads in Germany in 1938: Highways, Federal Highways and Local roads. To construct the initial transport grid I choose the smallest set of edges and vertices that allows me to represent the underlying geography of Germany to transport goods. First I select the set of vertices to represent the 412 German districts I observe in the data. I choose as the vertex of the district the centroid of the path of any highways that transits the district. If there is no highway in the district I use the centroid of the federal highway inside the district. If there are no highways or federal highways I use the centroid of the local road. Second I build the set of edges



Table D.1: Cost of time and distance of truck shipping (France, 1978)

	Highway (Autobahn)	Federal Highway	Local road
Speed (km per hour)	80	60	40
Cost of distance (Euros)	85.8	89.8	97.18
Cost of time (Euros)	5.4	5.4	5.4

that connects the vertices that represent the population centres. To do this I select all highways and federal highways that existed in 1938. I add the set of local roads needed to connect the remaining vertices that do not have highway access.<sup>48</sup>

Finally, I export the network to use in my quantitative analysis. The resulting network is composed of 1071 junctions (nodes), collected into 412 districts) and around 1200 edges (links) that can be exported as two vectors: one containing the links and one containing the cost of transiting each link (called weight in the networks literature).

**Initial transport costs** To compute the initial transport cost matrix I follow [Combes and Lafourcade \(2005\)](#) transport cost function. The function is derived to account for the cost of shipping one truck full of goods in France in the decade of 1978. The transport cost specification for shipping a truck between  $i$  and  $n$  is:

$$t_{i,n} = \text{Distance cost} \times \frac{\text{speed}_{i,n}}{\text{length}_{i,n}} + \text{Time cost} \times \frac{\text{speed}_{i,n}}{\text{length}_{i,n}}. \quad (48)$$

The table below represents the speed and costs assumed by [Combes and Lafourcade \(2005\)](#) that I use in the computation. I use this function to compute the cost of shipping one truck worth of goods for each link in the network using the length in kilometres along the underlying German network in 1938. I assume links with local roads can be transited at 40 kilometres per hour, link with federal highways at 60 kilometres per hour and links with autobahns at 80 kilometres per hour. Even if there was no speed limit in Germany for highways trucks can rarely go faster than 80 km/h. I use the Network Analyst toolbox in ArcGIS to construct the network that is then exported to MATLAB.

I compute cost of transit in each link using the above function and the actual kilometres. I use

<sup>48</sup> To select this edges I choose the least cost path to connect each of the 57 districts that are not transited by a highway or a federal road to the closest district with federal highway using the "Closest facility Tool" in ArcGIS that allows you to extract the path chosen to connect facilities (federal highway points) to incidents (district centroids). Local roads are used as the default way to more around to prevent any transport costs to be zero. Instead of manually recovering the local road network in 1938 I use the 2004 digitised map of local roads and enabled a truck to move through these links at 40 km per hour.

the least-cost path algorithm to compute the matrix of initial transport costs in euros. To convert this measure to ad-valorem quantities I normalise the computed cost in euros by 28,000 euros that is the average cost of a truck full of German goods in the year 1995. This computation uses the average export price per ton from Germany to France. This normalisation ensures that the transport cost matrix expresses the cost of shipping one unit of the average German good across any district pair in ad-valorem terms.

## D.2 OPTIMAL INFRASTRUCTURE NETWORK

**Estimation of parameter  $\gamma$**  I estimate  $\gamma$  to match the skewness of investments in the 1934 highway plan. Skewness is a measure of the concentration of a distribution. Matching this moment ensures that the concentration of highway investments in the model is aligned with the data. I use the Simulated Method of Moments for the estimation. I simulate 100 times the optimal choice of infrastructure in a representative 50-district economy with 100 different random draws of the vector of district-specific productivities. I compute the skewness of these investments and estimate the value of  $\gamma$  that minimises the sum of squared differences between average skewness in the model and skewness in the data. Skewness in the data is 1.5. For the simulation I specify the productivity distribution as a Pareto distribution with shape parameter  $\alpha_p = 1.6$ , estimated from the calibrated productivity distribution for Germany, scale parameter  $\sigma_p = 1$  and location parameter  $\theta_p = 0$ . This procedure yields an estimate of  $\gamma = 0.84$ .

## D.3 OPTIMAL INFRASTRUCTURE NETWORK WITH INTERNATIONAL TRADE

To introduce international trade post-Division I consider trade with Belgium, France and Netherlands. I assume that trade with the rest of the world is only possible through the West German districts located in the border with these countries for which some highway had been designed in the prewar Highway Plan or for which some local road existed.

To model the new trading opportunities I choose to increase the population of the bordering regions with a share of the foreign population, so that access to these bordering regions allows a firm to sell products to the domestic population and to the foreign population as well. I assume that trade is possible with the whole population in the foreign countries but I compute a cost of trading with these foreign population equal to the average distance between the German border and the main foreign cities/capital city (for Belgium and Netherlands). I reduce the accessible population by a share to account for this distance cost. This simplifying assumption of considering trade opportunities as an

increase in the size of regions at the border allows me to follow the same calibration strategy as before: I re-calibrate the productivity vector to match the new population distribution where the bordering regions have been allocated extra population coming from the foreign countries. The rest of the calibration procedure is the same as described previously.

#### D.4 COUNTERFACTUAL EXERCISES

**Taking the highway network to the model** To construct the model counterpart of the 1974 highway allocation I follow two steps. First, I compute the district share of highway kilometres. This is obtained by dividing the total highway kilometres in a district by the total highway kilometres built in 1974 in West Germany. Then, I multiply the highway share by the total budget allocated in the model to the Post-Division network, as follows:

$$\phi_i = 1 + share_{74} * (Z - 312), \quad (49)$$

where I subtract 312 from Z because that is the lower bound imposed by the requirement that highway investments cannot increase the transport costs and

$$share_{74} = \frac{\text{Highway km}_{i,1974}}{\sum_i^N \text{Highway km}_{i,1974}}. \quad (50)$$

In the same way, I build the counterpart of the 1934 plan as

$$\phi_i = 1 + share_{plan} * (Z - 312), \quad (51)$$

### E DATA APPENDIX

**Highway data** The highway network data (Autobahns) collected for the empirical exercise is of two types. First, I digitise the highway network plan of 1934 from historical documents. From the digitised data I construct a district level measure of the number of kilometres that the 1934 highway plan allocated to each district. Besides, I collect data of the actual highway network (only Autobahn) in Germany (both East and West Germany) for the years 1938, 1950, 1965, 1974, 1980 and 1989. This information is obtained from different road atlases and historical maps and geo-referenced using the software ArcGIS. Once the maps and atlases are digitised I manually collect the data to construct the highway network in each period. Additionally, I collect and geo-reference

the pattern of federal roads in 1950 and 1965. Federal roads (Bundesstrasse) are decided by the central government but are not restricted-access roads like the Autobahns and the network was developed earlier than the highway network. Finally, the network of local roads is imported from the EuroGlobal map by *Eurographics* that provides harmonised European open geographical data covering 45 countries and territories in the European region and is freely available. The website address of Eurographics is <https://eurogeographics.org>.

**Economic outcomes** As economic outcomes, I use population data by decade at the district level from the historical census. I also collect employment level at the district level from the historical census, available for some aggregated sectors.

Additionally, I collect traffic of goods by road for 18 aggregated traffic districts in Germany. The traffic data is collected in tons and reported in an aggregated way (Total tons of goods sent to the rest of Germany and received from Germany). The traffic data is collected from the "Statistisches Jahrbuch fr das Deutsche Reich". I use data from the year 1938, the closest to the beginning of the construction of the highway network. The scanned photocopies of the annual editions of the "Statistisches Jahrbuch fr das Deutsche Reich" are available at <http://www.digizeitschriften.de/dms/toc/?PID=PPN514401303>.

Finally, I collect and digitise traffic of goods by road between West German states. This data is available only after 1960 (most recent data I found was 1966). The traffic data is collected in tons and reported in an aggregated way (Total tons of goods sent to each state and received from each state in West Germany). This traffic data is collected and digitised from the "West Germany Road freight transport 1945- Statistics Serials" (Der Fernverkehr mit Lastkraftfahrzeugen: Zusammengefasste bersichten zur Gterbewegung).

**Geographic variables** As controls, I collect a series of measures related to the geography of Germany such as area of districts and distance to relevant points such as the inner German border. First, I measure the distance from each district to the closest point of the inner German border, to the closest point to the external West German border and West Berlin. I calculate these distances from the centre of each district to the geographic feature of interest over a straight line. Furthermore, I compute the distance to West Berlin through the transport network in 1950. Finally, I collect the district area in square kilometres.